

MISSOURI **VITAL STATISTICS**

1965

PUBLIC HEALTH STATISTICS

The Division of Health of Missouri

MISSOURI
PUBLIC HEALTH STATISTICS
VITAL STATISTICS

1965

Prepared by
Statistical Services

October, 1966

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI
DIVISION OF HEALTH
STATE OFFICE BUILDING
JEFFERSON CITY, MISSOURI 65101

P R E F A C E

This is the final tabulation of statistical data for the period 1965. This annual report of Vital Statistics was compiled for use in the study of birth, death, marriage and divorce statistics.

This annual report has been revised this year to include additional information. We have expanded our list of cities to include those with populations of 2,500 to 10,000. We have utilized charts this year in an effort to more effectively present certain data. Specifically we have added the distribution of the five leading causes of death by age groups.

If more detailed information is desired, one may obtain such data by contacting the Missouri Division of Health, Statistical Services, State Office Building, Jefferson City, Missouri, 65101

STATISTICAL SERVICES

1966

BACKGROUND

COMPILATION AND UTILIZATION

Vital Statistics in Missouri are compiled from five documents which are filed with the Division of Health by State Law. To obtain the fullest use of these records, many sources of data must be utilized, including population, social science, medical, statistical, and demographic literature. Vital data are of little value unless special care is taken to analyze the cause and effect of the trends in vital events. To do this, knowledge and understanding of considerable background material are necessary. In Missouri, the five basic records on file with the Division of Health are: (1) birth records, (2) death records, and (3) stillbirth records, each beginning with 1910; (4) marriage, and (5) divorce records, beginning with 1948. Much use is made of the data concerning vital events because they play such an important part in both our economy and social structure. The births that occur today will affect the sale of childrens' toys, the construction of schools, the number of homes to be built for future families and the aging population. People interested in these problems and others must turn to vital statistics for source and background data.

The economic and social factors which are affected by the occurrence of vital events, in turn, are significant in the present and future health of the people in Missouri.

RELIABILITY OF THE DATA

Statistics are neither more true nor more false than the interpretation given to them. Figures cannot be wrong until we interpret them as representing a specific thing. The value of the data lessens as the knowledge of the person using a specific kind of data decreases. Reports published by the Bureau of Vital Statistics are limited in their scope by the amount of time and money available for their publication. They are published in a form standardized for use by vital statisticians. This means that certain facts must be realized if knowledge is to be gained from the use of these reports. A novice can best ask for advice from a person trained in the use of statistics, their collection, tabulation, and interpretation. The main sources of error found in vital statistics are: underregistration¹, improper tabulation procedure, poor response or indifference on the part of those responsible for completing vital records, and probably the most dangerous source of error, improper interpretation.

Age and sex distribution together with social and economic conditions play a large part in the health of the people of any state. Missouri counties have a range in age from one county with one-half of its people under 21 years of age to another with one-half of the people over 40 years of age. A county that has a population composed primarily of younger persons might present a fictitious picture of good health if the number of deaths is used as a measure of health. The reverse could be true in a county composed predominantly of older persons.

POPULATION

Population data used for computing rates shown in this report were obtained from the following sources: Population Estimates, 1911-1950, taken from the United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1965; 1960 population taken from United States Census of Population, "General Characteristics," PC(1) 27B; 1951-1959 and 1961-1963 as computed by the Missouri Division of Health, Statistical Services. The components used to compute the 1961 through 1963 estimates² were the net change, natural increase and net migration. The net migration based upon the experience during the period 1950-1960.

USE OF THE TERMS "RECORDED" AND "RESIDENT"

Historically, vital statistics have been presented in two forms, "Recorded" and "Resident". It is important to understand the significance of these terms when analyzing vital statistics. As an example, this report might show birth data as follows for two selected areas:

Recorded live births, City of Springfield - 3,394

Resident live births, City of Springfield - 1,942

Recorded live births, Gasconade County - 6

Resident live births, Gasconade County - 214

What accounts for the difference in the above birth numbers? The differences are between the recorded and resident births of an area, due mainly to facilities available in the area. In the first case, people are coming into a city to have their babies, because of the medical facilities available. In the second case, people are leaving an area to have their babies.

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child).

RACE AND COLOR

The category "white" includes, in addition to persons reported as "white", those reported as Mexican, Puerto Rican, Chinese, Japanese, Indian, except Negro. In other words, persons reported as "Negro" are recorded as "nonwhite"; all other classes are recorded as "white". Any person reported as a mixed race which includes "Negro" is recorded as "nonwhite".

CAUSE OF DEATH CLASSIFICATION

The causes of death presented here were classified in accordance with the World Health Organization Regulations, see "Manual of the International Statistical Classification of Diseases and Causes of Death", based on the recommendations of the Seventh Revision Conference, 1955.

¹This report includes the marriages and divorces reported to this office. There are a few counties which did not report any of these events. In some cases this may be a true picture of the occurrences in those counties; in others, it represents underreporting. This report does not include information from those Missouri residents who marry and seek divorce outside of the State. As yet, there is no interchange between states of these events. The data is recorded. As State laws change, this causes changes in the rate which may not represent a true picture. Thus, a tightening of divorce laws may drop the reported divorce rate but not the resident rate.

²Estimates recomputed and adjusted April, 1966.

TABLE OF CONTENTS

BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS


Table/Graph		Page
A	Trends in Live Birth and Death Rates, 1911-1965	2
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911-1944	3
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945-1965	3
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1965	4
4	Resident and Recorded Births and Fetal Deaths by Counties and Cities Over 2,500 Population, With Rates, Missouri: 1965	5
5	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1965	9
B	Trends in Fetal Death Rates by Color, 1932-1965	10
6	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1965	10
7	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1965	11
8	Five Leading Causes of Death for Selected Age Groups, Number of Resident Deaths, Missouri: 1965	11
C	Trends in Maternal Death Rates by Color, 1932-1965	12
9	Resident Maternal Deaths by Cause and Color with Rates, Missouri: 1965	12
10	Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1965	13
11	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties and Cities Over 2,500 Population, with Rates, Missouri: 1965	14
D	Trends in Infant Death Rates by Color, 1932-1965	19
12	Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color, Missouri: 1965	19
13	Estimated Population, Resident Live Births, Fetal Deaths, and Selected Causes of Death by Color and Attendant at Birth, State Total and Population Groups, County Areas Including Cities and Cities of 10,000 Population and Over, Missouri: 1965	20
	<u>ACCIDENTS</u>	
14	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1965	54
	<u>MARRIAGES</u>	
E	Trends in Marriage Rates, 1949-1965	56
15	Reported Marriages by Age of Groom, By Age of Bride, Missouri: 1965	56
16	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1965	57
17	Reported Marriages by Marital Status, Missouri: 1965	57
18	Reported Marriages by Color of Groom, Missouri: 1965	57
	<u>DIVORCES</u>	
F	Trends in Divorce Rates, 1949-1965	60
19	Reported Divorces and Annulments by Number of Previous Marriages, Husband Versus Wife, Missouri: 1965	60
20	Reported Divorces and Annulments by Duration of Marriage, Missouri: 1965	60
21	Reported Divorces and Annulments by Number of Children Affected, Missouri: 1965	61
22	Reported Divorces and Annulments by Complainant Versus to Whom Decree Granted, Missouri: 1965	61
23	Reported Divorces and Annulments by Complainant Versus Disposition of Children, Missouri: 1965	61
24	Reported Divorces and Annulments by Alimony and Settlement, Missouri: 1965	62
25	Reported Divorces and Annulments by Legal Grounds for Decree, Missouri: 1965	62
26	Reported Divorces and Annulments by Color, Husband Versus Wife, Missouri: 1965	62
27	Reported Divorces and Annulments by Number of Cases Contested, Missouri: 1965	62

BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS,

GRAPH A.

LIVE BIRTH AND DEATH RATES 1911-1965

(per 1,000 population)



Year	Live Births	Deaths	Year	Live Births	Deaths
1911	22.3	13.1	1939	15.8	11.3
1912	22.6	12.6	1940	16.5	11.6
1913	22.1	12.4	1941	17.4	11.4
1914	21.3	12.0	1942	19.0	11.0
1915	20.5	11.7	1943	20.2	12.0
1916	20.8	12.7	1944	19.7	11.9
1917	19.3	13.1	1945	18.7	12.1
1918	19.2	15.6	1946	21.5	11.3
1919	18.2	11.7	1947	23.4	11.6
1920	19.2	12.5	1948	22.1	11.1
1921	19.5	10.6	1949	21.5	11.1
1922	18.7	11.2	1950	21.6	11.0
1923	19.3	12.1	1951	22.5	11.0
1924	19.7	11.5	1952	22.4	11.2
1925	19.4	11.7	1953	22.5	11.1
1926	18.7	10.0	1954	22.8	10.7
1927	18.6	11.4	1955	22.7	10.4
1928	17.6	12.6	1956	23.1	10.7
1929	16.8	12.2	1957	23.1	11.3
1930	17.0	11.8	1958	22.8	11.0
1931	16.2	11.9	1959	23.3	11.0
1932	16.0	11.7	1960	22.6	11.2
1933	15.3	11.5	1961	22.3	10.8
1934	15.9	12.3	1962	21.3	11.1
1935	15.1	11.4	1963	20.4	11.4
1936	14.7	12.8	1964	19.8	11.1
1937	15.1	11.9	1965	18.1	11.2
1938	15.7	11.3			

Source: Missouri State Board of Health, Vital Statistics, 1911-1934 and 1937-1944; Division of Health of Missouri, Vital Statistics Reports, 1945-date; Special Reports of the United States Bureau of the Census, 1935-36. Population estimates 1911 to 1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-1965 as computed by the Division of Health of Missouri; 1960, taken from the United States Census of Population, PC (1) 27B. Recorded data 1911 to 1944 and Resident data 1945 to date.

TABLE 1
POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2
POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000
POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1965

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,366	101,462	23.2	47,933	11.0	97,321	22.3	47,303	10.8	50,018
1962	4,400	97,658	22.2	49,685	11.3	93,879	21.3	49,016	11.1	44,863
1963	4,429	93,545	21.1	51,159	11.6	90,363	20.4	50,538	11.4	39,825
1964	4,455	90,918	20.4	50,271	11.3	88,335	19.8	49,617	11.1	38,718
1965	4,476	84,162	18.8	51,101	11.4	81,216	18.1	50,249	11.2	30,967

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-1965 as computed by the Missouri Division of Health; 1960, taken from the United States Census of Population, PC(1) 27B.

TABLE 3

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR,
ATTENDANT, LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF
OCCURRENCE. URBAN AND RURAL. MISSOURI: 1965

[illegible]

Percentages are computed on the basis of total white and nonwhite live births.

Urban areas include cities over 10,000 population according to 1960 Census. All other areas are included in "rural".

TABLE 4
RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES
OVER 2,500 POPULATION, WITH RATES, MISSOURI: 1965

Counties and Cities	Population	Number				Rates			
		RESIDENT Live Births	Fetal Deaths	RECORDED Live Births	Fetal Deaths	RESIDENT Live Births	Fetal Deaths	RECORDED Live Births	Fetal Deaths
State Total	4,476,591	81,216	1,163	84,162	1,173	18.1	14.3	18.8	13.9
Cities over 10,000 Population		44,129	513	61,033	845	—	—	—	—
Cities over 2,500 Population									
Less than 10,000 Population		11,313	158	12,566	181	—	—	—	—
Rural		25,774	492	10,563	147	—	—	—	—
Counties incl. Cities:									
Adair	19,494	334	1	588	7	17.1	3.0	30.2	11.9
Andrew	10,345	163	3	—	—	15.8	18.4	—	—
Atchison	7,886	111	1	204	2	14.1	9.0	25.9	9.8
Audrain	25,817	469	6	563	10	18.2	12.8	21.8	17.8
Barry	16,746	274	—	388	—	16.4	—	23.2	—
Barton	9,745	119	2	123	3	12.2	16.8	12.6	24.4
Bates	14,346	239	1	203	1	16.7	4.2	14.2	4.9
Benton	8,058	103	4	35	—	12.8	38.8	4.3	—
Bollinger	7,997	127	2	68	2	15.9	15.7	8.5	29.4
Boone	58,109	1,308	11	1,917	21	22.5	8.4	33.0	11.0
Buchanan	84,289	1,725	22	2,180	31	20.5	12.8	25.9	14.2
Butler	31,307	526	9	885	6	16.8	17.1	28.3	6.8
Caldwell	7,819	119	2	—	—	15.2	16.8	—	—
Callaway	23,080	375	4	200	—	16.2	10.7	8.7	—
Camden	9,327	124	—	34	—	13.3	—	3.6	—
Cape Girardeau	41,730	712	14	1,163	19	17.1	19.7	27.9	16.3
Carroll	12,365	179	1	157	1	14.5	5.6	12.7	6.4
Carter	3,447	56	2	4	1	16.2	35.7	1.2	250.0
Cass	37,235	703	8	643	7	18.9	11.4	17.3	10.9
Cedar	8,206	127	—	156	1	15.5	—	19.0	6.4
Chariton	11,093	140	5	4	—	12.6	35.7	0.4	—
Christian	11,728	180	7	—	—	15.3	38.9	—	—
Clark	8,247	127	2	2	—	15.4	15.7	0.2	—
Clay	127,903	2,051	23	1,550	16	16.0	11.2	12.1	10.3
Clinton	10,976	160	4	201	6	14.6	25.0	18.3	29.9
Cole	41,951	791	11	1,359	21	19.0	13.9	32.4	15.5
Cooper	14,236	243	1	176	1	17.1	4.1	12.4	5.7
Crawford	12,575	242	—	322	—	19.2	—	25.6	—
Dade	6,515	73	—	38	—	11.2	—	5.8	—
Dallas	8,271	100	—	1	—	12.1	—	0.1	—
Daviess	8,226	114	2	24	—	13.9	17.5	2.9	—
DeKalb	6,452	89	2	1	—	13.8	22.5	0.2	—
Dent	9,601	150	4	74	—	15.6	26.7	7.7	—
Douglas	8,058	124	2	41	—	15.4	16.1	5.1	—
Dunklin	34,433	624	7	740	9	18.1	11.2	21.5	12.2
Franklin	48,191	1,051	8	915	8	21.8	7.6	19.0	8.7
Gasconade	11,481	156	—	3	—	13.6	—	0.3	—
Gentry	7,494	117	3	135	1	15.6	25.6	18.0	7.4
Greene	133,149	2,383	23	3,379	36	17.9	9.7	25.4	10.7
Grundy	11,000	171	2	184	5	15.5	11.7	16.7	27.2
Harrison	9,889	118	1	127	1	11.9	8.5	12.8	7.9
Henry	17,896	296	6	384	7	16.5	20.3	21.5	18.2
Hickory	3,871	50	—	28	—	12.9	—	7.2	—
Holt	6,639	104	1	—	—	15.7	9.6	—	—
Howard	10,005	165	5	120	4	16.5	30.3	12.0	33.3
Howell	20,505	340	7	470	7	16.6	20.6	22.9	14.9
Iron	6,994	125	2	167	2	17.9	16.0	23.9	12.0
Jackson	638,814	13,000	180	15,415	190	20.4	13.8	24.1	12.3
Jasper	74,641	1,261	25	1,425	25	16.9	19.8	19.1	17.5
Jefferson	90,735	1,710	28	524	8	18.8	16.4	5.8	15.3
Johnson	34,053	381	13	567	14	11.2	34.1	16.7	24.7
Knox	5,807	77	—	8	—	13.3	—	1.4	—
Laclede	17,988	288	3	278	3	16.0	10.4	15.5	10.8
Lafayette	23,974	358	2	300	3	15.0	5.6	12.5	10.0
Lawrence	22,147	347	5	263	5	15.7	14.4	11.9	19.0
Lewis	10,700	159	—	5	—	14.9	—	0.5	—
Lincoln	14,949	267	6	421	9	17.9	22.5	28.2	21.4
Linn	14,815	169	4	216	5	11.4	23.7	14.6	23.1
Livingston	14,639	273	3	365	5	18.6	11.0	24.9	13.7
McDonald	10,286	192	2	2	—	18.7	10.4	0.2	—
Macon	14,834	175	5	159	3	11.8	28.6	10.7	18.9
Madison	8,242	113	4	231	5	13.7	35.4	28.0	21.6
Maries	6,791	85	2	—	—	12.5	23.5	—	—
Marion	27,900	500	4	811	8	17.9	8.0	29.1	9.9
Mercer	4,798	57	—	67	—	11.9	—	14.0	—

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used is the July 1965 estimate.

TABLE 4 (continued)
RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES
AND CITIES OVER 2,500 POPULATION, WITH RATES, MISSOURI: 1965

Counties Incl. Cities:	Population	Number				Rates			
		RESIDENT Live Births	Fetal Deaths	RECORDED Live Births	Fetal Deaths	RESIDENT Live Births	Fetal Deaths	RECORDED Live Births	Fetal Deaths
Miller	13,159	222	1	169	2	16.9	4.5	12.8	11.8
Mississippi	18,801	419	8	276	7	22.3	19.1	14.7	25.4
Moniteau	9,853	162	2	7	—	16.4	12.3	0.7	—
Monroe	9,961	126	4	7	—	12.6	31.7	0.7	—
Montgomery	10,651	170	1	2	—	16.0	5.9	0.2	—
Morgan	8,632	110	1	2	—	12.7	9.1	0.2	—
New Madrid	26,774	536	8	212	4	20.0	14.9	7.9	18.9
Newton	29,571	503	5	551	6	17.0	9.9	18.6	10.9
Nodaway	20,258	374	5	358	5	18.5	13.4	17.7	14.0
Oregon	8,455	111	1	78	1	13.1	9.0	9.2	12.8
Osage	10,188	197	5	—	—	19.3	25.4	—	—
Ozark	5,544	91	—	63	1	16.4	—	11.4	15.9
Pemiscot	33,474	721	21	778	21	21.5	29.1	23.2	27.0
Perry	13,652	269	6	440	8	19.7	22.3	32.2	18.2
Pettis	35,541	500	4	646	6	14.1	8.0	18.2	9.3
Phelps	26,339	451	3	619	7	17.1	6.7	23.5	11.3
Pike	15,875	277	5	239	7	17.4	18.1	15.1	29.9
Platte	29,382	506	6	1	—	17.2	11.9	0.0	—
Polk	12,009	158	2	56	1	13.2	12.7	4.7	17.9
Pulaski	45,024	331	13	908	12	7.4	39.3	20.2	13.2
Putnam	5,816	83	1	102	3	14.3	12.0	17.5	29.4
Ralls	7,390	118	3	1	—	16.0	25.4	0.1	—
Randolph	20,501	301	6	378	2	14.7	19.9	18.4	5.3
Ray	15,540	225	4	196	3	14.5	17.8	12.6	15.3
Reynolds	4,276	69	—	3	—	16.1	—	0.7	—
Ripley	7,736	113	1	96	2	14.6	8.8	12.4	20.8
St. Charles	74,644	1,669	27	1,469	25	22.4	16.2	19.7	17.0
St. Clair	7,180	95	—	60	1	13.2	—	8.4	16.7
St. Francois	34,723	549	9	623	8	15.8	16.4	17.9	12.8
Ste. Genevieve	11,830	204	1	3	—	17.2	4.9	0.3	—
St. Louis County	933,177	15,159	173	10,327	131	16.2	11.4	11.1	12.7
Saline	23,294	349	4	319	3	15.0	11.5	13.7	9.4
Schuyler	4,468	58	1	2	—	13.0	17.2	0.4	—
Scotland	5,780	74	1	—	—	12.8	13.5	—	—
Scott	31,216	679	8	660	9	21.8	11.8	21.1	13.6
Shannon	6,325	114	—	17	—	18.0	—	2.7	—
Shelby	8,275	114	1	8	1	13.8	8.8	1.0	125.0
Stoddard	26,250	416	3	334	2	15.8	7.2	12.7	6.0
Stone	7,280	146	1	5	—	20.1	6.8	0.7	—
Sullivan	7,303	90	—	78	1	12.3	—	10.7	12.8
Taney	9,864	127	2	189	4	12.9	15.7	19.2	21.2
Texas	16,273	258	2	382	3	15.9	7.8	23.5	7.9
Vernon	18,651	242	6	212	4	13.0	24.8	11.4	18.9
Warren	9,089	152	4	—	—	16.7	26.3	—	—
Washington	13,400	292	8	227	7	21.8	27.4	16.9	30.8
Wayne	7,474	128	1	1	—	17.1	7.8	0.1	—
Webster	12,596	253	3	106	—	20.1	11.9	8.4	—
Worth	3,284	39	—	1	—	11.9	—	0.3	—
Wright	12,637	174	4	97	2	13.8	23.0	7.7	20.6
Cities over 10,000 Population:									
Bellefontaine Neighbors	—	103	1	—	—	—	—	—	—
Berkeley	—	370	7	—	—	—	—	—	—
Brentwood	—	295	1	2	—	—	—	—	—
Cape Girardeau City	—	473	9	1,161	19	—	—	—	—
Carthage	—	190	2	368	6	—	—	—	—
Clayton	—	183	1	720	15	—	—	—	—
Columbia	—	879	7	1,916	21	—	—	—	—
Crestwood	—	209	—	—	—	—	—	—	—
Ferguson	—	471	6	—	—	—	—	—	—
Florissant	—	1,669	10	3	—	—	—	—	—
Fulton	—	158	—	198	—	—	—	—	—
Gladstone	—	261	2	1	—	—	—	—	—
Hannibal	—	349	2	811	8	—	—	—	—
Independence	—	2,038	21	1,386	10	—	—	—	—
Jefferson City	—	473	5	1,358	21	—	—	—	—

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used is the July 1965 estimate.

Rates were not computed for cities, except St. Louis City.

TABLE 4 (continued)
RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES
AND CITIES OVER 2,500 POPULATION, WITH RATES, MISSOURI: 1965

Cities over 10,000 Population:	Population	Number				Rates			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
Jennings	—	305	5	—	—	—	—	—	—
Joplin	—	658	17	1,304	22	—	—	—	—
Kansas City	—	10,645	152	14,030	180	—	—	—	—
Kirksville	—	266	1	588	7	—	—	—	—
Kirkwood	—	476	8	1,230	16	—	—	—	—
Maplewood	—	251	2	—	—	—	—	—	—
Mexico	—	252	4	551	10	—	—	—	—
Moberly	—	185	3	376	2	—	—	—	—
Overland	—	610	10	1	—	—	—	—	—
Poplar Bluff	—	261	5	863	6	—	—	—	—
Raytown	—	436	7	—	—	—	—	—	—
Richmond Heights	—	270	2	3,655	37	—	—	—	—
Rolla	—	178	2	618	7	—	—	—	—
St. Ann	—	414	4	1	—	—	—	—	—
St. Charles	—	807	15	1,468	23	—	—	—	—
St. Joseph	—	1,514	21	2,176	31	—	—	—	—
St. Louis City	666,336	15,103	281	21,841	355	22.7	18.6	32.8	16.3
Sedalia	—	338	4	646	6	—	—	—	—
Sikeston	—	266	4	561	7	—	—	—	—
Springfield	—	1,780	19	3,377	36	—	—	—	—
University City	—	591	5	—	—	—	—	—	—
Webster Groves	—	402	5	2	—	—	—	—	—
Incl. in Above Cities:									
Hannibal-Ralls	—	4	—	—	—	—	—	—	—
Joplin-Newton	—	40	3	176	3	—	—	—	—
Kansas City-Clay	—	1,049	10	3	—	—	—	—	—
Sikeston-New Madrid	—	6	—	—	—	—	—	—	—
Kansas City-Platte	—	182	3	—	—	—	—	—	—
Cities over 2,500 Population Less than 10,000 Population:									
Aurora	—	90	3	223	5	—	—	—	—
Ballwin	—	222	4	3	—	—	—	—	—
Bel-Ridge	—	68	2	—	—	—	—	—	—
Belton	—	220	4	—	—	—	—	—	—
Bethany	—	37	—	126	1	—	—	—	—
Blue Springs	—	74	—	1	—	—	—	—	—
Bolivar	—	53	1	—	—	—	—	—	—
Bonne Terre	—	67	2	470	5	—	—	—	—
Boonville	—	122	1	176	1	—	—	—	—
Bowling Green	—	44	3	—	—	—	—	—	—
Breckenridge Hills	—	37	—	—	—	—	—	—	—
Bridgeton	—	560	6	—	—	—	—	—	—
Brookfield	—	69	—	124	2	—	—	—	—
Butler	—	69	—	199	1	—	—	—	—
California	—	47	2	5	—	—	—	—	—
Cameron (Clinton)	—	52	1	200	6	—	—	—	—
Cameron (DeKalb)	—	3	—	—	—	—	—	—	—
Canton	—	45	—	1	—	—	—	—	—
Carrollton	—	70	1	157	1	—	—	—	—
Caruthersville	—	170	5	72	2	—	—	—	—
Centralia	—	65	1	—	—	—	—	—	—
Chaffee	—	39	—	71	1	—	—	—	—
Charleston	—	129	2	153	4	—	—	—	—
Chillicothe	—	192	1	364	4	—	—	—	—
Clinton	—	114	2	298	6	—	—	—	—
Creve Coeur	—	332	1	—	—	—	—	—	—
Crystal City	—	60	1	—	—	—	—	—	—
Dellwood	—	152	1	—	—	—	—	—	—
DeSoto	—	125	3	17	—	—	—	—	—
Des Peres	—	37	1	—	—	—	—	—	—
Dexter	—	89	—	222	2	—	—	—	—
East Prairie	—	64	2	90	3	—	—	—	—
Eldon	—	45	—	—	—	—	—	—	—
El Dorado Springs	—	52	—	155	1	—	—	—	—
Ellisville	—	49	2	—	1	—	—	—	—

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used is the July 1965 Estimate.

Rates were not computed for cities, except St. Louis City.

TABLE 4 (continued)
RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES
AND CITIES OVER 2,500 POPULATION, WITH RATES, MISSOURI: 1965

Cities over 2,500 Population Less Than 10,000 Population:	Population	Number				Rates			
		RESIDENT Live Births	Fetal Deaths	RECORDED Live Births	Fetal Deaths	RESIDENT Live Births	Fetal Deaths	RECORDED Live Births	Fetal Deaths
Excelsior Springs (Clay)	—	148	—	176	1	—	—	—	—
Excelsior Springs (Ray)	—	—	—	—	—	—	—	—	—
Farmington	—	98	1	7	—	—	—	—	—
Fayette	—	58	2	119	4	—	—	—	—
Festus	—	139	1	—	8	—	—	—	—
Flat River	—	77	1	—	—	—	—	—	—
Fredericktown	—	48	2	231	5	—	—	—	—
Frontenac	—	25	—	—	—	—	—	—	—
Glendale	—	87	—	—	—	—	—	—	—
Grandview	—	355	7	3	—	—	—	—	—
Hanley Hills	—	26	—	—	—	—	—	—	—
Harrisonville	—	88	2	314	3	—	—	—	—
Hayti	—	105	5	625	16	—	—	—	—
Hazelwood	—	472	5	—	—	—	—	—	—
Hermann	—	46	—	1	—	—	—	—	—
Higginsville	—	49	—	—	—	—	—	—	—
Hillsdale Village	—	42	—	—	—	—	—	—	—
Jackson	—	91	1	1	—	—	—	—	—
Kennett	—	155	2	598	6	—	—	—	—
Kinloch	—	184	3	—	—	—	—	—	—
LaDue	—	69	—	—	—	—	—	—	—
Lamar	—	38	1	123	3	—	—	—	—
Lebanon	—	139	3	277	3	—	—	—	—
Lee's Summit	—	254	1	—	—	—	—	—	—
Lexington	—	87	2	264	3	—	—	—	—
Liberty	—	230	6	2	1	—	—	—	—
Louisiana	—	69	1	238	7	—	—	—	—
Macon	—	64	3	152	3	—	—	—	—
Malden	—	91	2	117	1	—	—	—	—
Marceline	—	31	—	92	3	—	—	—	—
Marshall	—	156	3	266	3	—	—	—	—
Maryville	—	145	1	356	5	—	—	—	—
Moline Acres	—	55	—	—	—	—	—	—	—
Monett (Barry)	—	80	—	329	—	—	—	—	—
Monett (Lawrence)	—	18	—	—	—	—	—	—	—
Mountain Grove	—	46	—	51	—	—	—	—	—
Neosho	—	114	—	247	1	—	—	—	—
Nevada	—	122	4	211	4	—	—	—	—
New Madrid	—	53	3	7	1	—	—	—	—
Normandy	—	233	2	744	12	—	—	—	—
North Kansas City	—	137	1	1,123	11	—	—	—	—
Northwoods	—	39	1	—	—	—	—	—	—
O'Fallon	—	132	2	—	—	—	—	—	—
Olivette	—	112	—	—	—	—	—	—	—
Pacific (Franklin)	—	100	—	—	—	—	—	—	—
Pacific (St. Louis County)	—	5	—	—	—	—	—	—	—
Pagedale	—	74	1	—	—	—	—	—	—
Palmyra	—	55	1	—	—	—	—	—	—
Perryville	—	111	4	440	8	—	—	—	—
Pinelawn	—	90	1	—	—	—	—	—	—
Pleasant Hill	—	56	—	—	—	—	—	—	—
Portageville	—	60	—	9	—	—	—	—	—
Potosi	—	53	3	12	1	—	—	—	—
Richmond	—	63	1	—	—	—	—	—	—
Riverview	—	69	—	—	—	—	—	—	—
Rock Hill	—	120	2	1	—	—	—	—	—
St. Clair	—	62	—	2	—	—	—	—	—
St. John	—	138	2	—	—	—	—	—	—
Ste. Genevieve	—	71	—	3	—	—	—	—	—
Salem	—	63	1	71	—	—	—	—	—
Shrewsbury	—	76	1	—	—	—	—	—	—
Slater	—	38	—	1	—	—	—	—	—
Sugar Creek	—	107	1	—	—	—	—	—	—
Sullivan (Crawford)	—	15	—	310	—	—	—	—	—
Sullivan (Franklin)	—	91	—	1	—	—	—	—	—

Rates were not computed for cities, except St. Louis City.

TABLE 4 (continued)
RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES
AND CITIES OVER 2,500 POPULATION, WITH RATES, MISSOURI: 1965

Cities over 2,500 Population Less Than 10,000 Population	Population	Number				Rates			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
Sunset Hills	—	36	—	—	—	—	—	—	—
Trenton	—	84	—	183	4	—	—	—	—
Union	—	106	—	—	—	—	—	—	—
Valley Park	—	116	2	—	—	—	—	—	—
Vandalia	—	59	—	—	—	—	—	—	—
Warrensburg	—	154	4	299	6	—	—	—	—
Washington	—	185	5	912	7	—	—	—	—
Webb City	—	103	4	103	—	—	—	—	—
Wellston	—	184	4	1	—	—	—	—	—
Wentzville	—	55	—	—	1	—	—	—	—
West Plains	—	94	1	332	3	—	—	—	—
Windsor	—	47	—	85	1	—	—	—	—
Woodson Terrace	—	103	—	—	—	—	—	—	—


Rates were not computed for cities, except St. Louis City.

TABLE 5
RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER,
SEX AND COLOR OF CHILD, MISSOURI: 1965

Age of Mother	Grand Total		Urban				Rural			
			White		Nonwhite		White		Nonwhite	
	Total	Total	Male	Female	Male	Female	Total	Male	Female	Total
All Ages	81,216	44,129	17,156	16,216	5,357	5,400	37,087	18,266	17,171	836
10-14 Years	197	150	17	20	58	55	47	15	14	9
15-19 Years	13,947	7,821	2,667	2,477	1,298	1,379	6,126	2,862	2,825	227
20-24 Years	28,926	15,994	6,498	6,146	1,730	1,620	12,932	6,556	5,906	228
25-29 Years	18,889	10,152	4,127	3,845	1,070	1,110	8,737	4,298	4,103	182
30-34 Years	11,104	5,856	2,228	2,209	682	737	5,248	2,610	2,429	109
35-39 Years	6,129	3,160	1,222	1,148	406	384	2,969	1,444	1,402	63
40-44 Years	1,906	939	371	352	110	106	967	448	469	21
45-49 Years	101	47	20	18	2	7	54	28	21	4
50 Years & Over	—	—	—	—	—	—	—	—	—	—
Unknown	17	10	6	1	1	2	7	5	2	—

Graph B.

FETAL DEATH RATES 1932-1965
(per 1,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	41.9	38.4	97.4	1949	19.3	17.5	35.9
1933	37.5	34.2	88.9	1950	19.2	17.2	37.2
1934	33.9	31.3	73.9	1951	18.2	16.4	34.3
1935	38.5	35.8	79.2	1952	17.5	16.1	29.7
1936	36.0	33.4	74.7	1953	17.8	15.9	33.1
1937	33.9	31.3	70.1	1954	17.2	15.9	27.7
1938	35.0	32.0	76.4	1955	16.7	14.9	29.8
1939	30.7	27.8	71.3	1956	16.6	15.4	25.4
1940	32.5	29.8	69.5	1957	16.5	15.7	22.1
1941	32.5	29.7	71.4	1958	16.1	14.7	24.8
1942	28.9	26.2	65.0	1959	15.4	14.0	24.2
1943	26.1	23.6	59.0	1960	15.2	13.8	24.3
1944	26.1	23.3	59.8	1961	14.7	12.8	27.0
1945	24.1	21.7	53.2	1962	15.1	13.2	26.5
1946	23.6	21.4	51.2	1963	13.9	12.1	24.7
1947	20.8	18.8	44.7	1964	15.5	13.3	28.7
1948	20.7	18.7	42.7	1965	14.3	12.8	23.0

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-65. 1932-44 are recorded data and 1945 to date are resident.

TABLE 6

RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI: 1965

Weight	RESIDENT			RECORDED		
	Total	White	Nonwhite	Total	White	Nonwhite
2 Pounds 3 Ounces or Less	255	181	74	250	181	69
2 Pounds 4 Ounces - 3 Pounds 4 Ounces	119	82	37	120	83	37
3 Pounds 5 Ounces - 4 Pounds 6 Ounces	112	83	29	113	84	29
4 Pounds 7 Ounces - 5 Pounds 8 Ounces	122	89	33	121	89	32
5 Pounds 9 Ounces - 6 Pounds 9 Ounces	125	93	32	129	96	33
6 Pounds 10 Ounces - 7 Pounds 11 Ounces	136	106	30	143	113	30
7 Pounds 12 Ounces - 8 Pounds 13 Ounces	68	53	15	68	53	15
8 Pounds 14 Ounces - 9 Pounds 14 Ounces	29	25	4	30	25	5
9 Pounds 15 Ounces or More	21	16	5	21	16	5
Unknown or Not Stated	176	150	26	178	152	26
Totals	1,163	878	285	1,173	892	281

TABLE 7
TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI: 1965

Rank	Cause of Death	Total	Rates	White	Nonwhite
1.	Heart Disease (410-443)	19,534	436.4	17,984	1,550
2.	Malignant Neoplasms (140-205)	7,905	176.6	7,171	734
3.	Vascular Lesions* (330-334)	6,077	135.8	5,429	648
4.	Accidents (800-962)	2,938	65.6	2,639	299
5.	Diseases of Digestive System (530-587)	1,811	40.5	1,582	229
6.	Pneumonia (490-493)	1,811	40.5	1,553	258
7.	Malformations & Diseases of Early Infancy (750-776)	1,689	37.7	1,302	387
8.	Arteriosclerosis (450)	1,132	25.3	1,062	70
9.	Diabetes Mellitus (260)	781	17.4	687	94
10.	Suicides (970-979)	533	11.9	516	17
Totals		44,211		39,925	4,286

Total Resident Deaths - 50,249

Estimated Population July 1, 1965 - 4,476,591

TABLE 8
FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,
NUMBER OF RESIDENT DEATHS, MISSOURI: 1965


Cause by Age Groups	Deaths	Cause by Age Groups	Deaths
Under 1 Year		45-54 Years	
1. Diseases of Early Infancy	1,246	1. Heart Disease	1,182
2. Malformations	304	2. Cancer	961
3. Influenza & Pneumonia	150	3. Accidents	328
4. Accidents	77	4. Vascular Lesions*	255
5. Diseases of Digestive System	64	5. Diseases of Digestive System	199
1-4 Years		55-64 Years	
1. Accidents	112	1. Heart Disease	2,837
2. Influenza & Pneumonia	57	2. Cancer	1,776
3. Malformations	44	3. Vascular Lesions*	583
4. Cancer	31	4. Diseases of Digestive System	321
5. Meningitis	12	5. Accidents	318
5-14 Years		65-74 Years	
1. Accidents	180	1. Heart Disease	5,158
2. Cancer	48	2. Cancer	2,329
3. Influenza & Pneumonia	23	3. Vascular Lesions*	1,383
4. Malformations	20	4. Diseases of Digestive System	464
5. Diseases of Digestive System	9	5. Influenza & Pneumonia	354
15-24 Years		75-84 Years	
1. Accidents	468	1. Heart Disease	6,406
2. Homicide	74	2. Vascular Lesions*	2,367
3. Cancer	57	3. Cancer	1,791
4. Suicide	33	4. Influenza & Pneumonia	584
5. Heart Disease	22	5. Arteriosclerosis	456
25-34 Years		85 Years and Over	
1. Accidents	241	1. Heart Disease	3,426
2. Cancer	100	2. Vascular Lesions*	1,370
3. Heart Disease	78	3. Cancer	483
4. Homicide	75	4. Arteriosclerosis	457
5. Suicide	44	5. Influenza & Pneumonia	442
35-44 Years			
1. Heart Disease	392		
2. Cancer	324		
3. Accidents	261		
4. Diseases of Digestive System	112		
5. Suicide	101		

Death rates are per 100,000 population.

Numbers in parentheses refer to code numbers in the 7th Revision of the International Classification of Causes of Death, 1955.

*Vascular lesions affecting central nervous system.

Graph C.



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	61.4	58.5	107.0	1949	8.5	7.2	20.2
1933	51.6	50.0	77.9	1950	8.2	6.8	20.5
1934	58.5	55.3	109.6	1951	7.6	6.7	15.7
1935	57.0	55.0	87.0	1952	7.1	6.1	16.3
1936	61.0	60.0	85.0	1953	6.6	5.4	16.2
1937	51.3	49.9	71.2	1954	4.9	4.1	11.0
1938	38.2	36.6	61.3	1955	4.7	4.0	9.7
1939	37.0	35.4	59.9	1956	5.5	3.8	17.3
1940	36.5	35.0	56.7	1957	3.3	2.5	8.7
1941	31.7	28.6	75.1	1958	3.6	2.9	8.5
1942	24.3	23.2	38.0	1959	3.8	3.3	6.7
1943	22.7	21.9	33.7	1960	5.1	3.9	12.9
1944	20.9	18.4	50.6	1961	2.4	1.7	6.8
1945	16.9	15.3	36.1	1962	4.6	4.2	6.9
1946	13.8	11.9	36.7	1963	3.7	2.8	8.8
1947	12.9	11.8	26.2	1964	4.1	2.6	12.6
1948	10.1	8.9	23.4	1965	2.7	2.5	4.0

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36, Missouri Division of Health, Vital Statistics Reports, 1949-date. 1932-44 are recorded and 1945 to date are resident data.

TABLE 9. RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI: 1965

Cause of Death	Number			Rates		
	Total	White	Nonwhite	Total	White	Nonwhite
All Puerperal Causes (640-689)	22	17	5	2.7	2.5	4.0
Abortion with Infection (651)	6	4	2	0.7	0.6	1.6
Abortion without Infection (650, 652)	-	-	-	-	-	-
Puerperal Hemorrhage (643, 648, 670, 671, 672, 687)	5	5	-	0.6	0.7	-
Puerperal Infection (640, 641, 645.1, 680, 681)	1	-	1	0.1	-	0.8
Toxemias of Pregnancy (642, 685, 686)	2	2	-	0.2	0.3	-
Other Accidents of Childbirth (673-678)	4	3	1	0.5	0.4	0.8
Other Puerperal Causes	4	3	1	0.5	0.4	0.8

Maternal Death Rates are per 10,000 live births.

Numbers in parentheses refer to code numbers in the 7th Revision of the International Classification of Causes of Death, 1955.

TABLE 10. RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR AND BY SELECTED CAUSES OF DEATH, MISSOURI: 1965

	All Ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 and Over	Unk.
TOTAL DEATHS	50,249	2,060	353	187	188	409	393	331	425	669	974	1,450	2,255	3,161	4,077	5,284	6,647	7,169	6,822	4,606	2,209	556	24
Male	28,121	1,177	188	100	119	294	287	224	276	417	611	921	1,488	2,030	2,644	3,237	3,926	3,823	3,267	2,004	871	201	16
Female	22,126	881	165	87	69	115	106	107	149	252	363	529	767	1,131	1,433	2,047	2,721	3,346	3,555	2,602	1,338	355	8
Unknown	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL WHITE	45,067	1,530	260	148	163	362	320	246	330	510	791	1,197	1,913	2,706	3,555	4,645	6,064	6,748	6,487	4,442	2,116	516	18
Male	25,235	885	137	79	102	264	237	168	220	325	501	774	1,293	1,767	2,370	2,885	3,590	3,598	3,093	1,923	829	183	12
Female	19,831	644	123	69	61	98	83	78	110	185	290	423	620	939	1,185	1,760	2,474	3,150	3,394	2,519	1,287	333	6
Unknown	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL NONWHITE	5,182	530	93	39	25	47	73	85	95	159	183	253	342	455	522	639	583	421	335	164	93	40	6
Male	2,886	292	51	21	17	30	50	56	56	92	110	147	195	263	274	352	336	225	174	81	42	18	4
Female	2,295	237	42	18	8	17	23	29	39	67	73	106	147	192	248	287	247	196	161	83	51	22	2
Unknown	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES OF DEATH																							
Tuberculosis of respiratory system (001-008)	197	-	2	-	-	1	-	-	3	9	9	7	16	20	22	19	32	22	23	9	3	-	-
Tuberculosis, other forms (010-019)	12	1	2	-	-	-	-	-	-	-	-	-	1	4	1	1	-	-	1	-	1	-	-
Syphilis, under 1 year (020-029)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis, age 1 year and over (020-029)	82	-	-	-	-	-	-	-	-	2	2	4	3	6	11	22	12	10	8	2	-	-	-
Typhoid fever (040)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paratyphoid fever (041)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Undulant fever (044)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacillary dysentery (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Amebic dysentery (046)	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other and unspecified dysentery (047-048)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat (050-051)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (056)	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections (057)	18	3	7	1	3	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Tularemia (059)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Tetanus (061)	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
Acute poliomyelitis (080)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute infectious encephalitis (082)	13	-	2	2	2	-	2	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
Measles (085)	5	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis (092)	11	1	-	-	-	1	2	1	-	-	-	2	-	1	-	1	-	-	1	1	-	-	-
Rabies (094)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Mountain spotted fever (104)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus & other rickettsial diseases (100-103; 105-108)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (110-117)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infectious & parasitic diseases (030-138, exc. above)	127	36	3	2	-	1	-	3	1	5	5	4	4	9	10	7	9	8	9	7	4	-	-
Malignant neoplasms (140-205)	7,905	3	31	29	19	32	25	39	61	114	210	357	604	808	968	1,122	1,207	1,018	773	359	135	19	2
Benign and unspecified neoplasms (210-239)	127	2	5	3	5	1	4	2	4	5	7	8	14	13	13	11	11	4	7	4	3	1	-
Diabetes mellitus (250)	781	-	-	1	2	-	2	5	9	10	16	28	43	55	89	128	120	140	86	37	10	-	-
Anemias (290-293)	111	1	3	7	1	1	2	4	2	1	3	1	4	2	6	14	13	14	17	9	5	1	-
Vascular lesions affecting central nervous sys (330-334)	6,077	4	1	2	3	6	5	12	10	28	44	89	166	237	346	538	845	1,162	1,205	836	430	104	4
Nonmeningococcal meningitis (340)	53	13	12	2	-	1	-	1	-	1	1	-	6	1	3	2	7	2	1	-	-	-	-
Rheumatic fever (400-402)	11	1	-	1	-	-	-	1	-	-	-	-	1	2	1	1	2	1	-	-	-	-	-
Chronic rheumatic heart disease (410-416)	364	-	-	-	-	3	4	4	9	13	33	27	37	51	58	43	29	28	15	7	3	-	-
Arteriosclerotic & degenerative heart disease (420-422)	16,842	1	-	-	-	2	4	9	37	89	205	341	628	993	1,442	1,952	2,567	2,835	2,740	1,870	899	222	6
Other diseases of heart (430-434)	988	14	7	1	3	3	6	7	5	13	17	23	49	64	68	108	129	150	152	106	53	9	1
Hypertension with heart disease (440-443)	1,340	-	-	-	-	-	-	2	5	8	14	27	50	69	92	128	202	242	244	164	77	16	-
Hypertension w/o mention of heart (444-447)	369	-	-	-	-	-	-	1	-	9	5	14	9	15	18	39	47	60	67	50	27	8	-
Other diseases of circulatory system (450-468)	1,858	3	1	-	1	1	4	3	9	12	11	22	44	56	93	171	235	292	369	287	183	61	-
Influenza (480-483)	113	1	1	-	-	2	-	1	-	1	-	4	-	3	3	10	8	12	25	24	11	7	-
Lobar pneumonia 4 weeks (490)	299	17	12	1	1	-	2	1	3	6	6	9	8	19	8	24	35	41	48	37	14	7	-
Bronchopneumonia 4 weeks (491)	801	37	19	8	7	4	3	2	5	9	5	16	18	29	32	56	101	131	132	116	62	9	-
Pneumonia, other forms 4 weeks (492-493)	711	95	25	2	4	4	3	6	5	5	10	6	11	25	40	46	74	87	108	83	58	14	-
Bronchitis (500-502)	131	11	4	-	-	1	-	1	1	2	1	1	3	10	14	12	25	16	14	5	7	3	-
Gastro Enteritis and colitis, 4 weeks-2 years (571.0)	36	31	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastro Enteritis and colitis, 2 years (571.1)	38	-	-	1	1	-	-	-	-	-	2	1	1	5	4	5	5	3	6	2	1	1	-
Cirrhosis of liver (581)	520	-	-	-	1	-	3	1	16	24	42	52	62	58	76	68	55	29	23	7	2	1	-
Other diseases of digestive sys (530-587 excl. above)	1,217	33	3	3	3	4	8	5	6	19	25	35	48	78	100	142	189	167	167	132	39	10	1
Nephritis and nephrosis (590-594)	375	3	3	1	2	6	6	5	13	12	13	11	19	25	34	36	45	47	39	34	19	2	-
Complications of pregnancy & puerperium (640-652; 660-689)	22	-	-	-	-	-	6	2	7	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations (750-759)	442	304	44	12	8	11	4	8	3	6	5	7	7	9	4	8	-	1	-	1	-	-	-
Birth injuries, asphyxia (under 4 weeks) (760-762)	492	491	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Pneumonia of newborn (under 4 weeks) (763)	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea of newborn (under 4 weeks) (764)	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infections of newborn (under 4 weeks) (765-768)	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of early infancy (under 4 weeks) (769-776)	665	665	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Smellity, ill defined and unknown causes (780-795)	956	44	8	-	3	8	2	6	8	14	22	43	50	87	89	106	104	126	85	77	51	20	3
All other diseases (residual)	2,265	70	33	20	17	18	18	18	22	24	53	80	96	168	231	271	327	324	215	159	71	29	1
Motor vehicle accidents (810-835)	1,334	10	30	42	38	182	158	77	88	76	71	73	87	82	73	71	61	52	44	15	1	-	3
All other accidents (800-802; 840-962)	1,604	67	82	43	57	80	48	36	40	60	54	82	86	78	85	70	104	119	177	153	70	12	1
Self-inflicted injury (970-979)	533	-	-	-	3	13	20	22	22	52	49	50	64	65	37	41	40	23	19	12	-	-	1
Suicide and self-inflicted injury (970-979)	533	-	-	-	3	13</																	

TABLE 11
RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES
AND CITIES OVER 2,500 POPULATION, WITH RATES, MISSOURI: 1965

Counties and Cities	Population	Number						Rates					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
State Total	4,476,591	50,249	2,060	22	51,101	2,123	24	11.2	25.4	2.7	11.4	25.2	2.9
Cities over 10,000 Pop.	-	25,416	1,168	10	32,713	1,635	17	-	-	-	-	-	-
Cities over 2,500 Pop. less than 10,000 Pop.	-	6,993	292	NA	7,482	246	NA	-	-	-	-	-	-
Rural	-	17,840	600	NA	10,906	242	NA	-	-	-	-	-	-
Counties incl. Cities:													
Adair	19,494	242	5	-	434	13	-	12.4	15.0	-	22.3	22.1	-
Andrew	10,345	136	3	-	66	-	-	13.1	18.4	-	6.4	-	-
Atchison	7,886	99	3	-	105	3	-	12.6	27.0	-	13.3	14.7	-
Audrain	25,817	298	14	-	353	13	-	11.5	29.9	-	13.7	23.1	-
Barry	16,746	292	4	-	264	3	-	17.4	14.6	-	15.8	7.7	-
Barton	9,745	171	5	-	135	3	-	17.5	42.0	-	13.9	24.4	-
Bates	14,346	271	7	-	233	4	-	18.9	29.3	-	16.2	19.7	-
Benton	8,058	143	2	-	92	1	-	17.7	19.4	-	11.4	28.6	-
Bollinger	7,997	108	4	-	63	3	-	13.5	31.5	-	7.9	44.1	-
Boone	58,109	499	27	-	938	64	-	8.6	20.6	-	16.1	33.4	-
Buchanan	84,289	1,283	33	-	1,570	44	-	15.2	19.1	-	18.6	20.2	-
Butler	31,307	482	9	-	831	19	1	15.4	17.1	-	26.5	21.5	11.3
Caldwell	7,819	155	1	-	72	-	-	19.8	8.4	-	9.2	-	-
Callaway	23,080	285	11	-	400	4	-	12.3	29.3	-	17.3	20.0	-
Camden	9,327	119	2	-	75	-	-	12.8	16.1	-	8.0	-	-
Cape Girardeau	41,730	421	10	-	577	19	-	10.1	14.0	-	13.8	16.3	-
Carroll	12,365	217	1	-	150	2	-	17.5	5.6	-	12.1	12.7	-
Carter	3,447	66	-	-	26	-	-	19.1	-	-	7.5	-	-
Cass	37,234	281	13	-	211	5	-	7.5	18.5	-	5.7	7.8	-
Cedar	8,206	164	3	-	146	5	-	20.0	23.6	-	17.8	32.1	-
Chariton	11,093	199	4	-	89	4	-	17.9	28.6	-	8.0	1000.0	-
Christian	11,728	141	4	1	78	1	-	12.0	22.2	55.6	6.7	-	-
Clark	8,247	111	3	-	66	-	-	13.5	23.6	-	8.0	-	-
Clay	127,903	621	38	1	609	25	-	4.9	18.5	4.9	4.8	16.1	-
Clinton	10,976	179	2	-	177	4	-	16.3	12.5	-	16.1	19.9	-
Cole	41,951	376	21	-	549	32	-	9.0	26.5	-	13.1	23.5	-
Cooper	14,236	191	6	-	160	5	-	13.4	24.7	-	11.2	28.4	-
Crawford	12,575	198	9	-	176	9	-	15.7	37.2	-	14.0	28.0	-
Dade	6,515	105	-	-	78	1	-	16.1	-	-	12.0	26.3	-
Dallas	8,271	131	1	1	58	-	-	15.8	10.0	100.0	7.0	-	-
Daviess	8,226	153	3	-	105	-	-	18.6	26.3	-	12.8	-	-
DeKalb	6,452	113	3	-	73	-	-	17.5	33.7	-	11.3	-	-
Dent	9,601	131	2	-	102	-	-	13.6	13.3	-	10.6	-	-
Douglas	8,058	112	1	-	45	-	-	13.9	8.1	-	5.6	-	-
Dunklin	34,433	427	14	1	376	20	1	12.4	22.4	16.0	10.9	27.0	13.5
Franklin	48,191	539	23	-	433	10	-	11.2	21.9	-	9.0	10.9	-
Gasconade	11,481	172	2	-	100	-	-	15.0	12.8	-	8.7	-	-
Gentry	7,494	158	1	-	130	1	-	21.1	8.5	-	17.3	7.4	-
Greene	133,149	1,427	37	1	1,962	77	2	10.7	15.5	4.2	14.7	22.8	5.9
Grundy	11,000	219	5	1	221	6	1	19.9	29.2	58.5	20.1	32.6	54.3
Harrison	9,889	151	5	-	135	5	-	15.3	42.4	-	13.7	39.4	-
Henry	17,896	312	11	-	331	11	-	17.4	37.2	-	18.5	28.6	-
Hickory	3,871	71	-	-	36	-	-	18.3	-	-	9.3	-	-
Holt	6,639	104	-	-	51	1	-	15.7	-	-	7.7	-	-
Howard	10,005	126	3	-	125	1	-	12.6	18.2	-	12.5	8.3	-
Howell	20,505	316	11	-	333	6	-	15.4	32.4	-	16.2	12.8	-
Iron	6,994	146	10	-	144	8	-	20.9	80.0	-	20.6	47.9	-
Jackson	638,814	6,853	357	-	7,591	402	-	10.7	27.5	-	11.9	26.1	0.6
Jasper	74,641	1,100	34	1	1,058	32	1	14.7	27.0	7.9	14.2	22.5	7.0
Jefferson	90,735	645	32	-	502	12	-	7.1	18.7	-	5.5	22.9	-
Johnson	34,053	311	26	-	247	20	-	9.1	68.2	-	7.3	35.3	-
Knox	5,807	78	1	-	50	-	-	13.4	13.0	-	8.6	-	-
Laclede	17,988	266	9	-	284	9	1	14.8	31.3	-	15.8	32.4	36.0
Lafayette	23,974	313	8	-	261	5	-	13.1	22.3	-	10.9	16.7	-
Lawrence	22,147	339	16	-	355	11	-	15.3	46.1	-	16.0	41.8	-
Lewis	10,700	155	3	-	96	1	-	14.5	18.9	-	9.0	200.0	-
Lincoln	14,949	185	4	-	192	2	-	12.4	15.0	-	12.8	4.8	-
Linn	14,815	249	3	-	265	3	-	16.8	17.8	-	17.9	13.8	-
Livingston	14,639	198	4	-	255	4	-	13.5	14.7	-	17.4	11.0	-
McDonald	10,286	151	2	-	53	-	-	14.7	10.4	-	5.2	-	-

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

NA - Information not available.

TABLE 11 (continued)
RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES
AND CITIES OVER 2,500 POPULATION, WITH RATES, MISSOURI: 1965

Counties and Cities	Number										Rates				
	Population	Deaths	RESIDENT		Deaths	RECORDED		Deaths	RESIDENT		Deaths	RECORDED			
			Infant Deaths	Maternal Deaths		Infant Deaths	Maternal Deaths		Infant Deaths	Maternal Deaths		Infant Deaths	Maternal Deaths		
Macon	14,834	257	2	1	195	—	1	17.3	11.4	57.1	13.1	—	62.9		
Madison	8,242	132	5	—	132	6	—	16.0	44.2	—	16.0	26.0	—		
Maries	6,791	59	1	—	30	—	—	8.7	11.8	—	4.4	—	—		
Marion	27,900	409	10	—	522	15	—	14.7	20.0	—	18.7	18.5	—		
Mercer	4,798	110	3	—	107	2	—	22.9	52.6	—	22.3	29.9	—		
Miller	13,159	174	1	—	141	1	—	13.2	4.5	—	10.7	5.9	—		
Mississippi	18,801	230	18	—	142	9	—	12.2	43.0	—	7.6	32.6	—		
Moniteau	9,853	153	7	—	91	2	—	15.5	43.2	—	9.2	285.7	—		
Monroe	9,961	133	3	1	79	1	—	13.4	23.8	79.4	7.9	142.9	—		
Montgomery	10,651	190	5	—	82	2	—	17.8	29.4	—	7.7	1000.0	—		
Morgan	8,632	135	2	—	93	1	—	15.6	18.2	—	10.8	500.0	—		
New Madrid	26,774	289	28	1	161	14	—	10.8	52.2	18.7	6.0	66.0	—		
Newton	29,571	335	11	—	368	12	—	11.3	21.9	—	12.4	21.8	—		
Nodaway	20,258	299	3	—	285	6	—	14.8	8.0	—	14.1	16.8	—		
Oregon	8,455	148	3	—	79	—	—	17.5	27.0	—	9.3	—	—		
Osage	10,188	131	6	—	61	1	—	12.9	30.5	—	6.0	—	—		
Ozark	5,544	87	1	—	55	—	—	15.7	11.0	—	9.9	—	—		
Pemiscot	33,474	423	34	—	337	37	—	12.6	47.2	—	10.1	47.6	—		
Perry	13,652	165	7	—	183	8	—	12.1	26.0	—	13.4	18.2	—		
Pettis	35,541	447	17	—	468	15	—	12.6	34.0	—	13.2	23.2	—		
Phelps	26,339	243	8	—	281	9	—	9.2	17.7	—	10.7	14.5	—		
Pike	15,875	236	6	—	221	4	—	14.9	21.7	—	13.9	16.7	—		
Platte	29,382	203	13	—	117	3	—	6.9	25.7	—	4.0	3000.0	—		
Polk	12,009	231	5	—	168	2	—	19.2	31.6	—	14.0	35.7	—		
Pulaski	45,024	218	28	—	227	30	—	4.8	84.6	—	5.0	33.0	—		
Putnam	5,816	98	4	—	88	5	—	16.9	48.2	—	15.1	49.0	—		
Ralls	7,390	109	2	—	31	—	—	14.7	16.9	—	4.2	—	—		
Randolph	20,501	341	8	—	356	3	1	16.6	26.6	—	17.4	7.9	26.5		
Ray	15,540	233	4	—	183	2	—	15.0	17.8	—	11.8	10.2	—		
Reynolds	4,276	65	2	—	25	1	—	15.2	29.0	—	5.8	333.3	—		
Ripley	7,736	149	3	—	126	2	—	19.3	26.5	—	16.3	20.8	—		
St. Charles	74,644	448	33	—	435	32	—	6.0	19.8	—	5.8	21.8	—		
St. Clair	7,180	146	1	—	115	1	—	20.3	10.5	—	16.0	16.7	—		
St. Francois	34,723	496	12	—	538	13	—	14.3	21.9	—	15.5	20.9	—		
Ste. Genevieve	11,830	124	6	—	57	1	—	10.5	29.4	—	4.8	333.3	—		
St. Louis County	933,177	5,888	297	1	4,496	187	—	6.3	19.6	0.7	4.8	18.1	—		
Saline	23,294	375	4	—	355	2	—	16.1	11.5	—	15.2	6.3	—		
Schuyler	4,468	97	2	—	41	—	—	21.7	34.5	—	9.2	—	—		
Scotland	5,780	118	2	—	50	—	—	20.4	27.0	—	8.7	—	—		
Scott	31,216	328	18	—	339	29	—	10.5	26.5	—	10.9	43.9	—		
Shannon	6,325	86	—	—	44	—	—	13.6	—	—	7.0	—	—		
Shelby	8,275	158	2	—	91	—	—	19.1	17.5	—	11.0	—	—		
Stoddard	26,250	353	16	—	219	5	—	13.4	33.5	—	8.3	15.0	—		
Stone	7,280	107	5	1	45	—	—	14.7	34.2	68.5	6.2	—	—		
Sullivan	7,303	158	5	—	125	2	—	21.6	55.6	—	17.1	25.6	—		
Taney	9,864	146	—	—	144	2	1	14.8	—	—	14.6	10.6	52.9		
Texas	16,273	207	6	1	201	7	1	12.7	23.3	38.8	12.4	18.3	26.2		
Vernon	18,651	292	4	1	448	1	1	15.7	16.5	41.3	24.0	4.7	47.2		
Warren	9,089	119	5	—	90	—	—	13.1	32.9	—	9.9	—	—		
Washington	13,400	164	4	—	129	3	—	12.2	13.7	—	9.6	13.2	—		
Wayne	7,474	127	6	—	42	2	—	17.0	46.9	—	5.6	2000.0	—		
Webster	12,596	178	3	—	99	—	—	14.1	11.9	—	7.9	—	—		
Worth	3,284	62	1	—	23	—	—	18.9	25.6	—	7.0	—	—		
Wright	12,637	186	1	—	136	—	—	14.7	5.7	—	10.8	—	—		
Cities over 10,000 Pop.															
Bellefontaine Neighbors	—	106	—	—	50	—	—	—	—	—	—	—	—		
Berkeley	—	75	4	—	29	—	—	—	—	—	—	—	—		
Brentwood	—	71	8	—	17	—	—	—	—	—	—	—	—		
Cape Girardeau City	—	221	8	—	504	19	—	—	—	—	—	—	—		
Carthage	—	172	7	—	210	6	1	—	—	—	—	—	—		
Clayton	—	171	10	—	1,100	44	—	—	—	—	—	—	—		
Columbia	—	288	19	—	834	64	—	—	—	—	—	—	—		
Crestwood	—	53	4	—	6	—	—	—	—	—	—	—	—		
Ferguson	—	171	12	—	67	—	—	—	—	—	—	—	—		
Florissant	—	257	27	—	55	1	—	—	—	—	—	—	—		

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

TABLE 11 (continued)

**RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES
AND CITIES OVER 2,500 POPULATION, WITH RATES, MISSOURI: 1965**

Cities over 10,000 Pop.	Population	Number						Rates					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
Fulton	-	134	7	-	340	4	-	-	-	-	-	-	-
Gladstone	-	41	5	-	16	1	-	-	-	-	-	-	-
Hannibal	-	322	10	-	478	15	-	-	-	-	-	-	-
Independence	-	731	41	-	550	35	-	-	-	-	-	-	-
Jefferson City	-	279	13	-	508	31	-	-	-	-	-	-	-
Jennings	-	196	7	-	41	-	-	-	-	-	-	-	-
Joplin	-	574	18	-	681	30	-	-	-	-	-	-	-
Kansas City	-	5,862	288	1	6,971	367	1	-	-	-	-	-	-
Kirksville	-	157	4	-	399	13	-	-	-	-	-	-	-
Kirkwood	-	278	9	-	390	22	-	-	-	-	-	-	-
Maplewood	-	169	6	-	34	-	-	-	-	-	-	-	-
Mexico	-	167	9	-	288	12	-	-	-	-	-	-	-
Moberly	-	223	3	-	296	3	1	-	-	-	-	-	-
Overland	-	258	13	-	55	-	-	-	-	-	-	-	-
Poplar Bluff	-	261	7	-	745	19	1	-	-	-	-	-	-
Raytown	-	137	3	-	27	-	-	-	-	-	-	-	-
Richmond Heights	-	168	5	-	468	39	-	-	-	-	-	-	-
Rolla	-	75	3	-	202	8	-	-	-	-	-	-	-
St. Ann	-	71	4	-	10	-	-	-	-	-	-	-	-
St. Charles	-	224	20	-	382	32	-	-	-	-	-	-	-
St. Joseph	-	1,147	30	-	1,518	44	-	-	-	-	-	-	-
St. Louis City	666,336	9,949	502	8	12,713	710	11	14.9	33.2	5.3	19.1	32.5	5.0
Sedalia	-	330	10	-	419	13	-	-	-	-	-	-	-
Sikeston	-	153	8	-	285	25	-	-	-	-	-	-	-
Springfield	-	1,127	31	1	1,857	77	2	-	-	-	-	-	-
University City	-	530	9	-	88	1	-	-	-	-	-	-	-
Webster Groves	-	268	4	-	80	-	-	-	-	-	-	-	-
Incl. in above Cities													
Hannibal-Ralls	-	4	-	-	1	-	-	-	-	-	-	-	-
Joplin-Newton	-	26	2	-	94	5	-	-	-	-	-	-	-
Kansas City-Clay	-	216	2	1	77	2	-	-	-	-	-	-	-
Sikeston-New Madrid	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City-Platte	-	36	-	-	21	-	-	-	-	-	-	-	-
Cities over 2,500 Pop. Less than 10,000 Pop.													
Aurora	-	101	7	-	135	9	-	-	-	-	-	-	-
Ballwin	-	50	4	-	23	-	-	-	-	-	-	-	-
Bel-Ridge	-	25	1	-	3	-	-	-	-	-	-	-	-
Belton	-	41	5	-	9	-	-	-	-	-	-	-	-
Bethany	-	37	3	-	91	4	-	-	-	-	-	-	-
Blue Springs	-	38	3	-	11	-	-	-	-	-	-	-	-
Bolivar	-	61	2	-	35	1	-	-	-	-	-	-	-
Bonne Terre	-	65	3	-	192	12	-	-	-	-	-	-	-
Boonville	-	86	4	-	112	4	-	-	-	-	-	-	-
Bowling Green	-	45	1	-	46	1	-	-	-	-	-	-	-
Breckenridge Hills	-	28	2	NOT AVAILABLE	6	-	NOT AVAILABLE	-	-	-	-	-	-
Bridgeton	-	70	11		10	-		-	-	-	-	-	-
Brookfield	-	93	2		118	2		-	-	-	-	-	-
Butler	-	70	4		137	3		-	-	-	-	-	-
California	-	64	3		64	1		-	-	-	-	-	-
Cameron (Clinton)	-	71	1		115	4		-	-	-	-	-	-
Cameron (DeKalb)	-	1	-		-	-		-	-	-	-	-	-
Canton	-	41	-		17	-		-	-	-	-	-	-
Carrollton	-	77	-		109	2		-	-	-	-	-	-
Caruthersville	-	139	7		47	6		-	-	-	-	-	-
Centralia	-	42	2	NOT AVAILABLE	31	-	NOT AVAILABLE	-	-	-	-	-	-
Chaffee	-	30	-		5	-		-	-	-	-	-	-
Charleston	-	112	8		78	3		-	-	-	-	-	-
Chillicothe	-	118	2		220	3		-	-	-	-	-	-
Clinton	-	127	5		220	7		-	-	-	-	-	-
Creve Coeur	-	94	8		35	1		-	-	-	-	-	-
Crystal City	-	39	-		17	-		-	-	-	-	-	-
Dellwood	-	20	4		6	-		-	-	-	-	-	-
DeSoto	-	86	2		44	-		-	-	-	-	-	-
Des Peres	-	26	1		39	-		-	-	-	-	-	-

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

TABLE 11 (continued)
RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES
AND CITIES OVER 2,500 POPULATION, WITH RATES, MISSOURI: 1965

Cities over 2,500 Pop. Less than 10,000 Pop.	Population	Number						Rates					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
Dexter	-	101	4		92	1		-	-	-	-	-	-
East Prairie	-	47	1		22	1		-	-	-	-	-	-
Eldon	-	59	1		34	1		-	-	-	-	-	-
El Dorado Springs	-	78	3		107	5		-	-	-	-	-	-
Ellisville	-	14	1		48	-		-	-	-	-	-	-
Excelsior Springs (Clay)	-	107	4		115	3		-	-	-	-	-	-
Excelsior Springs (Ray)	-	1	1		-	-		-	-	-	-	-	-
Farmington	-	100	2		46	-		-	-	-	-	-	-
Fayette	-	50	1		94	1		-	-	-	-	-	-
Festus	-	67	-		24	2		-	-	-	-	-	-
Flat River	-	56	1		16	-		-	-	-	-	-	-
Fredericktown	-	72	3		111	6		-	-	-	-	-	-
Frontenac	-	12	-		3	-		-	-	-	-	-	-
Glendale	-	44	-		6	-		-	-	-	-	-	-
Grandview	-	55	5		30	1		-	-	-	-	-	-
Hanley Hills	-	24	-		6	-		-	-	-	-	-	-
Harrisonville	-	50	2		88	3		-	-	-	-	-	-
Hayti	-	56	3		198	19		-	-	-	-	-	-
Hazelwood	-	54	6		4	-		-	-	-	-	-	-
Hermann	-	50	-		18	-		-	-	-	-	-	-
Higginsville	-	51	1		25	-		-	-	-	-	-	-
Hillsdale Village	-	30	-		3	-		-	-	-	-	-	-
Jackson	-	67	-		37	-		-	-	-	-	-	-
Kennett	-	110	4		229	15		-	-	-	-	-	-
Kinloch	-	57	11		7	-		-	-	-	-	-	-
LaDue	-	78	-	NOT AVAILABLE	15	-		-	-	-	-	-	-
Lamar	-	59	-		96	3		-	-	-	-	-	-
Lebanon	-	143	7		216	9		-	-	-	-	-	-
Lee's Summit	-	83	8		22	1		-	-	-	-	-	-
Lexington	-	72	1		115	4		-	-	-	-	-	-
Liberty	-	84	5		96	1		-	-	-	-	-	-
Louisiana	-	60	1		126	3		-	-	-	-	-	-
Macon	-	70	-		118	-		-	-	-	-	-	-
Malden	-	62	-		42	1		-	-	-	-	-	-
Marceline	-	44	-		102	1		-	-	-	-	-	-
Marshall	-	162	2		243	2		-	-	-	-	-	-
Maryville	-	115	2		191	6		-	-	-	-	-	-
Moline Acres	-	40	1		35	-		-	-	-	-	-	-
Monett (Barry)	-	71	-		149	3		-	-	-	-	-	-
Monett (Lawrence)	-	13	-		6	-		-	-	-	-	-	-
Mountain Grove	-	67	-		44	-		-	-	-	-	-	-
Neosho	-	83	4		131	4		-	-	-	-	-	-
Nevada	-	140	2		205	1		-	-	-	-	-	-
New Madrid	-	36	3		16	2		-	-	-	-	-	-
Normandy	-	127	2		266	15		-	-	-	-	-	-
North Kansas City	-	58	2		182	16		-	-	-	-	-	-
Northwoods	-	38	4		5	-		-	-	-	-	-	-
O'Fallon	-	19	3		6	-		-	-	-	-	-	-
Olivette	-	57	2		14	-		-	-	-	-	-	-
Pacific (Franklin)	-	23	1		9	-		-	-	-	-	-	-
Pacific (St. Louis County)	-	3	-		-	-		-	-	-	-	-	-
Pagedale	-	48	3		7	-		-	-	-	-	-	-
Palmyra	-	37	-		24	-		-	-	-	-	-	-
Perryville	-	60	6		143	8		-	-	-	-	-	-
Pinelawn	-	98	5		35	-		-	-	-	-	-	-
Pleasant Hill	-	38	1		13	-		-	-	-	-	-	-
Portageville	-	42	5		18	1		-	-	-	-	-	-
Potosi	-	26	-		16	-		-	-	-	-	-	-
Richmond	-	89	1		35	1		-	-	-	-	-	-
Riverview	-	40	5		3	-		-	-	-	-	-	-
Rock Hill	-	49	4		22	-		-	-	-	-	-	-
St. Clair	-	34	1		11	-		-	-	-	-	-	-
St. John	-	60	5		17	-		-	-	-	-	-	-
Ste. Genevieve	-	46	3		19	1		-	-	-	-	-	-
Salem	-	60	1		58	-		-	-	-	-	-	-


Rates were not computed for cities, except St. Louis City.

TABLE 11 (continued)
RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES
AND CITIES OVER 2,500 POPULATION, WITH RATES, MISSOURI: 1965

Cities over 2,500 Pop. Less than 10,000 Pop.	Number						Rates					
	RESIDENT			RECORDED			RESIDENT			RECORDED		
	Population	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
Shrewsbury	-	51	1	-	17	-	-	-	-	-	-	-
Slater	-	57	-	-	11	-	-	-	-	-	-	-
Sugar Creek	-	30	3	-	7	-	-	-	-	-	-	-
Sullivan (Crawford)	-	10	3	-	94	6	-	-	-	-	-	-
Sullivan (Franklin)	-	56	1	-	24	-	-	-	-	-	-	-
Sunset Hills	-	22	-	NOT AVAILABLE	18	-	-	-	-	-	-	-
Trenton	-	133	3		177	6	-	-	-	-	-	-
Union	-	45	4		8	1	-	-	-	-	-	-
Valley Park	-	48	2		60	-	-	-	-	-	-	-
Vandalia	-	47	2		12	-	-	-	-	-	-	-
Warrensburg	-	126	11		152	12	-	-	-	-	-	-
Washington	-	92	4	NOT AVAILABLE	280	8	-	-	-	-	-	-
Webb City	-	112	1		112	1	-	-	-	-	-	-
Wellston	-	109	8		12	-	-	-	-	-	-	-
Wentzville	-	19	-		5	-	-	-	-	-	-	-
West Plains	-	130	5		214	5	-	-	-	-	-	-
Windsor	-	43	1		67	3	-	-	-	-	-	-
Woodson Terrace	-	20	4		3	-	-	-	-	-	-	-

Rates were not computed for cities, except St. Louis City.

INFANT DEATH TRENDS



Year	Total	White	Nonwhite
1932	57.4	53.9	112.9
1933	56.8	54.5	94.3
1934	62.3	59.4	107.6
1935	56.9	55.2	83.1
1936	57.9	55.7	90.0
1937	64.0	61.7	96.5
1938	51.1	48.1	93.0
1939	45.0	42.2	83.8
1940	47.0	44.7	78.4
1941	46.8	44.2	83.0
1942	39.0	37.1	64.8
1943	39.8	37.5	69.5
1944	37.3	35.1	63.7
1945	37.5	35.1	65.8
1946	33.0	31.1	55.8
1947	32.4	30.1	59.9
1948	30.4	28.6	49.3
1949	30.0	28.7	43.4
1950	29.2	27.1	49.0
1951	27.7	25.8	45.0
1952	28.3	25.9	49.4
1953	27.7	25.4	46.9
1954	26.8	24.2	46.6
1955	25.3	23.1	41.7
1956	24.5	22.4	38.9
1957	24.8	22.4	40.5
1958	26.4	23.2	46.9
1959	24.5	21.5	43.6
1960	24.7	21.4	45.9
1961	24.5	21.9	41.6
1962	25.5	23.2	40.0
1963	24.3	21.5	41.5
1964	24.4	21.2	43.2
1965	25.4	22.2	42.7

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-65. 1932-44 Recorded data and 1945 to date Resident.

TABLE 12
RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR
WITH RATES BY CAUSE AND COLOR, MISSOURI: 1965

Cause	Color	Number	Rate	Under 1 Hour	Over 1 Hour Under 1 Day	Over 1 Day Under 7 Days	Over 7 Days Under 28 Days	Over 28 Days Under 3 Mos.	Over 3 Mos. Under 6 Mos.	Over 6 Mos. Under 1 Year	Age Un- known but Under 1 Year
All Causes	White	1,530	22.2	109	541	382	112	150	114	118	4
	Nonwhite	530	42.7	25	188	108	39	68	58	44	-
	Total	2,060	25.4	134	729	490	151	218	172	162	4
Infectious Diseases (020-138)	White	33	0.5	-	2	2	3	8	11	7	-
	Nonwhite	9	0.7	-	-	-	1	6	1	1	-
	Total	42	0.5	-	2	2	4	14	12	8	-
Respiratory Diseases (001-019, 470-527)	White	123	1.8	-	2	-	3	45	42	31	-
	Nonwhite	76	6.1	-	1	-	1	27	30	17	-
	Total	199	2.5	-	3	-	4	72	72	48	-
Gastro-Intestinal Diseases (543-545, 571-572)	White	13	0.2	-	-	-	-	2	5	6	-
	Nonwhite	20	1.6	-	-	-	-	8	5	7	-
	Total	33	0.4	-	-	-	-	10	10	13	-
Malformations (750-759)	White	264	3.8	14	51	74	41	42	18	24	-
	Nonwhite	40	3.2	2	3	9	6	6	9	5	-
	Total	304	3.7	16	54	83	47	48	27	29	-
Injury at Birth (760-761)	White	133	1.9	27	69	32	5	-	-	-	-
	Nonwhite	26	2.1	2	12	11	1	-	-	-	-
	Total	159	2.0	29	81	43	6	-	-	-	-
Other Diseases of Early Infancy (762-773)	White	611	8.9	40	300	217	37	9	5	2	1
	Nonwhite	175	14.1	10	81	56	20	3	3	2	-
	Total	786	9.7	50	381	273	57	12	8	4	1
Premature Birth (774-776)	White	177	2.6	25	102	46	2	1	-	-	1
	Nonwhite	124	10.0	11	86	23	1	3	-	-	-
	Total	301	0.4	36	188	69	3	4	-	-	1
All Other Causes	White	176	2.6	3	15	11	21	43	33	48	2
	Nonwhite	60	4.8	-	5	9	9	15	10	12	-
	Total	236	2.9	3	20	20	30	58	43	60	2

Infant death rates are per 1,000 live births.

Numbers in parentheses refer to code numbers in the 7th Revision of the International Statistical Classification of Causes of Death, 1955.

TABLE 13
ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

	STATE TOTAL				POPULATION GROUPS					
	Total	Rates	White	Nonwhite	Under 2,500		2,500-5,000		5,000 - Less than 10,000	
Total Estimated Population, July 1, 19 65	4,476,591									
TOTAL LIVE BIRTHS	81,216	18.1	68,809	12,407	24,890	884	4,188	219	6,359	547
Attended by M.D.	72,734		60,925	11,809	20,774	559	3,631	177	5,759	478
Attended by D.O.	8,138		7,778	360	4,049	175	552	21	597	49
Attended by midwives	266		48	218	28	140	1	20	-	15
Others or unspecified	78		58	20	39	10	4	1	3	5
TOTAL FETAL DEATHS	1,163	14.3	878	285	330	25	57	8	77	16
Attended by M.D.	1,018		756	262	265	18	43	3	68	16
Attended by D.O.	133		119	14	65	7	14	4	8	-
Attended by midwives	2		-	2	-	-	-	1	-	-
Others or unspecified	10		3	7	-	-	-	-	1	-
TOTAL DEATHS	50,249	11.2	45,067	5,182	17,445	395	2,967	141	3,591	294
Under one year of age	2,060	25.4	1,530	530						
Neonatal deaths	1,505	18.5	1,145	360						
Maternal deaths	22	2.7	17	5						
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	197	4.4	168	29	74	3	5	2	8	
Tuberculosis, other forms (010-019)	12	0.3	9	3	4		1		2	
Syphilis, under 1 year (020-029)	1	0.0	1		1					
Syphilis, age 1 year and over (020-029)	82	1.8	71	11	23	2	3		4	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)	1	0.0		1						
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)	3	0.1	1	2	1					1
Meningococcal infections (057)	18	0.4	17	1	10	1	1		1	
Tularemia (059)	1	0.0	1							
Tetanus (061)	4	0.1	3	1	1		1	1	1	
Acute poliomyelitis (080)	1	0.0	1							
Acute infectious encephalitis (082)	13	0.3	12	1	5		1			
Measles (085)	5	0.1	5		4		1			
Infectious Hepatitis (092)	11	0.2	7	4	3	1			2	1
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	127	2.8	100	27	37	1	6	1	4	1
Malignant neoplasms (140-205)	7,905	176.6	7,171	734	2,665	58	428	19	604	37
Benign and unspecified neoplasms (210-239)	127	2.8	112	15	44		4	1	11	2
Diabetes mellitus (260)	781	17.4	687	94	254	6	50	1	47	3
Anemias (290-293)	111	2.5	99	12	44		5		12	
Vascular lesions affecting central nervous system (330-334)	6,077	135.8	5,429	648	2,230	51	392	27	496	35
Nonmeningococcal meningitis (340)	53	1.2	34	19	11	1	3	1	2	2
Rheumatic fever (400-402)	11	0.2	7	4	2		1		2	
Chronic rheumatic heart disease (410-416)	364	8.1	335	29	108	1	13		29	
Arteriosclerotic and degenerative heart disease (420-422)	16,842	376.2	15,662	1,180	5,866	74	1,051	30	1,168	61
Other diseases of heart (430-434)	988	22.1	892	96	416	7	76		61	8
Hypertension with heart disease (440-443)	1,340	29.9	1,095	245	438	17	74	9	80	15
Hypertension w/o mention of heart (444-447)	369	8.2	310	59	139	4	12	1	32	3
Other diseases of circulatory system (450-468)	1,858	41.5	1,698	160	633	16	113	4	114	5
Influenza (480-483)	113	2.5	105	8	72	1	10	1	9	
Lobar pneumonia 4 weeks (490)	299	6.7	236	63	91	7	15	1	20	3
Bronchopneumonia 4 weeks (491)	801	17.9	711	90	264	4	47	4	59	4
Pneumonia, other forms 4 weeks (492-493)	711	15.9	606	105	261	15	49	2	39	5
Bronchitis (500-502)	131	2.9	119	12	43		7		7	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	36	0.8	16	20	5	5	2	1	1	2
Gastro Enteritis and colitis, 2 years (571.1)	38	0.8	34	4	11		2		2	
Cirrhosis of liver (581)	520	11.6	438	82	105	1	17	2	38	
Other diseases of digestive system (530-587 excl. above)	1,217	27.2	1,094	123	410	8	80	5	79	7
Nephritis and nephrosis (590-594)	375	8.4	316	59	135	4	20	2	31	5
Complications of pregnancy and puerperium (640-652; 660-689)	22	0.5	17	5	11				1	
Congenital malformations (750-759)	442	9.9	380	62	138	6	22	1	31	5
Birth injuries, asphyxia, (under 4 weeks) (760-762)	492	11.0	418	74	150		17	2	48	3
Pneumonia of newborn (under 4 weeks) (763)	73	1.6	49	24	18	5	3		2	
Diarrhea of newborn (under 4 weeks) (764)	4	0.1	2	2	2	1				
Other infections of newborn (under 4 weeks) (765-768)	13	0.3	10	3						1
Other diseases of early infancy (under 4 weeks) (769-776)	665	14.9	443	222	144	9	32		47	9
Senility, ill defined and unknown causes (780-795)	956	21.4	852	104	375	30	56	6	78	31
All other diseases (residual)	2,265	50.6	2,012	253	778	12	136	6	159	20
Motor vehicle accidents (810-835)	1,334	29.8	1,234	100	614	13	91	6	110	5
All other accidents (800-802; 840-962)	1,604	35.8	1,405	199	585	21	84	2	108	16
Suicide and self-inflicted injury (970-979)	533	11.9	516	17	183		29	1	40	
Homicide (980-985)	303	6.8	127	176	37	10	7	2	2	4

Live Birth and Death rates are per 1,000 population

Maternal death rates are per 10,000 live births.

Infant deaths, neonatal deaths and fetal death rates are per 1,000 live births.

Rates for specific causes of death are per 100,000 population.

Numbers in parentheses refer to the code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

POPULATION GROUPS

	10,000 - Less than 15,000		15,000 - Less than 25,000		25,000 - Less than 50,000		50,000 - Less than 75,000		75,000 - Less than 100,000	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 65										
TOTAL LIVE BIRTHS	2,868	160	4,689	184	4,311	246	2,615	14	3,164	130
Attended by M.D.	2,463	115	4,352	172	4,066	232	2,299	14	3,091	130
Attended by D.O.	403	8	331	9	243	13	316	-	73	-
Attended by midwives	2	37	2	3	1	-	-	-	-	-
Others or unspecified	-	-	4	-	1	1	-	-	-	-
TOTAL FETAL DEATHS	24	2	68	5	50	2	26	-	37	3
Attended by M.D.	21	1	66	3	47	2	22	-	35	3
Attended by D.O.	3	1	2	1	3	-	4	-	1	-
Attended by midwives	-	-	-	1	-	-	-	-	-	-
Others or unspecified	-	-	-	-	-	-	-	-	1	-
TOTAL DEATHS	1,492	100	2,421	113	1,830	114	1,237	24	2,195	79
Under one year of age										
Neonatal deaths										
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	2	1	7		5		1		11	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	4		1		3	2	5		7	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)		1								
Meningococcal infections (057)			2						1	
Tularemia (059)	1									
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)	1		2				1		1	
Measles (085)										
Infectious Hepatitis (092)		1							1	
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	6	1	6	1	3		5		5	1
Malignant neoplasms (140-205)	243	9	440	18	321	19	209	2	321	14
Benign and unspecified neoplasms (210-239)	5	1	1	1	10		1		6	
Diabetes mellitus (260)	11	1	38	2	22	4	29	3	30	2
Anemias (290-293)	2	2	4		1		2		6	
Vascular lesions affecting central nervous system (330-334)	167	11	292	14	209	12	144	1	296	11
Nonmeningococcal meningitis (340)	2		1		2	2	4		1	
Rheumatic fever (400-402)			1							
Chronic rheumatic heart disease (410-416)	6		29	1	18	1	6	2	13	
Arteriosclerotic and degenerative heart disease (420-422)	523	32	850	29	587	26	441	6	781	21
Other diseases of heart (430-434)	19	2	44	8	26	4	18		32	3
Hypertension with heart disease (440-443)	38	9	39	5	45	3	27	1	72	2
Hypertension w/o mention of heart (444-447)	13		18	1	9		7	1	19	
Other diseases of circulatory system (450-468)	54	4	90	3	82	7	46	1	104	
Influenza (480-483)	2	1			4				2	
Lobar pneumonia 4 weeks (490)	5		12		9	3	4	1	12	
Bronchopneumonia 4 weeks (491)	21		28	1	24		13		42	1
Pneumonia, other forms 4 weeks (492-493)	26	1	29	2	15	4	16		13	1
Bronchitis (500-502)	1		7		5		4		11	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1							
Gastro Enteritis and colitis, 2 years (571.1)	3	1	1				2		1	
Cirrhosis of liver (581)	9		18		16	2	9	1	15	
Other diseases of digestive system (530-587 excl. above)	45	1	51	2	39	3	31		46	1
Nephritis and nephrosis (590-594)	11		16	1	15		3	2	12	1
Complications of pregnancy and puerperium (640-652; 660-689)									1	
Congenital malformations (750-759)	19	3	17	1	25		9		16	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	19	1	30	3	26		10		15	1
Pneumonia of newborn (under 4 weeks) (763)	2	1	3		4	1	5		3	
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)			2		4		1		1	
Other diseases of early infancy (under 4 weeks) (769-776)	13	4	29	1	16	2	15		15	1
Senility, ill defined and unknown causes (780-795)	35	1	61	5	66	5	15		87	4
All other diseases (residual)	79	4	92	5	96	2	57	2	72	2
Motor vehicle accidents (810-835)	45	1	52		41	5	34		38	6
All other accidents (800-802; 840-962)	43	4	73	6	52	6	32	1	56	1
Suicide and self-inflicted injury (970-979)	15		29		27		22		28	1
Homicide (980-985)	2	2	5	3	3	1	9		2	

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

	POPULATION GROUPS				COUNTIES, INCLUDING CITIES					
	100,000 - Less than 500,000		500,000 & Over		Adair		Andrew		Atchison	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965					19,494		10,345		7,886	
TOTAL LIVE BIRTHS	7,676	2,969	8,049	7,054	333	1	162	1	111	
Attended by M.D.	6,642	2,886	7,848	7,046	85	1	144	1	111	
Attended by D.O.	1,030	82	184	3	248	-	18	-	-	
Attended by midwives	-	1	14	2	-	-	-	-	-	
Others or unspecified	4	-	3	3	-	-	-	-	-	
TOTAL FETAL DEATHS	88	64	121	160	1	-	3	-	1	
Attended by M.D.	76	63	113	153	-	-	3	-	1	
Attended by D.O.	12	1	7	-	1	-	-	-	-	
Attended by midwives	-	-	-	-	-	-	-	-	-	
Others or unspecified	-	-	1	7	-	-	-	-	-	
TOTAL DEATHS	4,722	1,140	7,167	2,782	241	1	136		99	
Under one year of age					5		3		3	
Neonatal deaths					3		3		2	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	18	4	37	19						
Tuberculosis, other forms (010-019)	1	1	1	2						
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	8	1	13	6						
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)				1						
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)	1		1							
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)			1							
Acute infectious encephalitis (082)		1	1							
Measles (085)										
Infectious Hepatitis (092)	1			1						
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	20	13	8	8	2					
Malignant neoplasms (140-205)	765	151	1,175	407	22		19		16	
Benign and unspecified neoplasms (210-239)	13	6	17	4						
Diabetes mellitus (260)	59	18	147	54	3		2		1	
Anemias (290-293)	12	5	11	5						
Vascular lesions affecting central nervous system (330-334)	510	154	693	332	36		25		21	
Nonmeningococcal meningitis (340)	5	6	3	7						
Rheumatic fever (400-402)		2	1	2						
Chronic rheumatic heart disease (410-416)	41	6	72	18	1				1	
Arteriosclerotic and degenerative heart disease (420-422)	1,619	256	2,776	645	87	1	51		32	
Other diseases of heart (430-434)	115	16	85	48	6				2	
Hypertension with heart disease (440-443)	125	63	157	121	1		4		3	
Hypertension w/o mention of heart (444-447)	22	9	39	40	7		1			
Other diseases of circulatory system (450-468)	171	22	291	93	10		6		2	
Influenza (480-483)	4	3	2	2	2					
Lobar pneumonia 4 weeks (490)	22	8	46	40	1					
Bronchopneumonia 4 weeks (491)	90	25	123	51	2		5		2	
Pneumonia, other forms 4 weeks (492-493)	61	24	97	51	3		2		1	
Bronchitis (500-502)	14	2	20	10			2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	5	4	2	8						
Gastro Enteritis and colitis, 2 years (571.1)	6	2	6	1						
Cirrhosis of liver (581)	86	31	125	45	6					
Other diseases of digestive system (530-587 excl. above)	120	37	193	59	6		3		3	
Nephritis and nephrosis (590-594)	35	10	38	34	6		1			
Complications of pregnancy and puerperium (640-652; 660-689)	1		3	5						
Congenital malformations (750-759)	53	16	50	30	1		1			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	46	14	57	50	2				1	
Pneumonia of newborn (under 4 weeks) (763)	4	7	5	10						
Diarrhea of newborn (under 4 weeks) (764)		1								
Other infections of newborn (under 4 weeks) (765-768)	2			2						
Other diseases of early infancy (under 4 weeks) (769-776)	66	49	66	147	1		2		1	
Senility, ill defined and unknown causes (780-795)	37	10	42	12	3				1	
All other diseases (residual)	211	60	332	140	17		5		5	
Motor vehicle accidents (810-835)	100	16	109	48	8		3		6	
All other accidents (800-802; 840-962)	150	32	222	110	7		4		1	
Suicide and self-inflicted injury (970-979)	76	4	67	11	1					
Homicide (980-985)	27	51	33	103						

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Audrain		Barry		Barton		Bates		Benton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	25,817		16,746		9,745		14,346		8,058	
TOTAL LIVE BIRTHS	419	50	274		119		232	7	102	1
Attended by M.D.	308	39	229		112		209	7	51	-
Attended by D.O.	110	11	44		7		23	-	51	1
Attended by midwives	-	-	-		-		-	-	-	-
Others or unspecified	1	-	1		-		-	-	-	-
TOTAL FETAL DEATHS	4	2	-		2		1	-	4	-
Attended by M.D.	3	1	-		2		1	-	2	-
Attended by D.O.	1	1	-		-		-	-	2	-
Attended by midwives	-	-	-		-		-	-	-	-
Others or unspecified	-	-	-		-		-	-	-	-
TOTAL DEATHS	265	33	292		171		269	2	142	1
Under one year of age	12	2	4		5		6	1	2	
Neonatal deaths	10	2	3		4		5		2	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	2		2							
Tuberculosis, other forms (010-019)			1							
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	1									
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)					1					
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	1				1		1			
Malignant neoplasms (140-205)	39	4	37		31		26		26	
Benign and unspecified neoplasms (210-239)	1	1	1				1			
Diabetes mellitus (260)	5	1	2		6		1		1	
Anemias (290-293)	1				1		1			
Vascular lesions affecting central nervous system (330-334)	34	3	50		25		36		40	
Nonmeningococcal meningitis (340)							1			
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)			2		1					
Arteriosclerotic and degenerative heart disease (420-422)	104	8	110		46		92	1	41	
Other diseases of heart (430-434)	4	1	12		5		7		9	
Hypertension with heart disease (440-443)	6	4	8		3		11		3	
Hypertension w/o mention of heart (444-447)	2	1	1				2			
Other diseases of circulatory system (450-468)	5		4		10		9		5	
Influenza (480-483)			2		1		4			
Lobar pneumonia 4 weeks (490)			1							
Bronchopneumonia 4 weeks (491)	4		4		2		8		2	
Pneumonia, other forms 4 weeks (492-493)	2		1		4		3			
Bronchitis (500-502)					2		2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1			
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	1	1	1		2		1		1	
Other diseases of digestive system (530-587 excl. above)	9	1	6		3		8		1	
Nephritis and nephrosis (590-594)	1		3		1		5		1	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	6	1			3		3	1	2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3	1	1		2				1	
Pneumonia of newborn (under 4 weeks) (763)	2						1			
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	2		3		1		2			
Senility, ill defined and unknown causes (780-795)	4		6		1		7		1	
All other diseases (residual)	7	2	8		3		9		4	
Motor vehicle accidents (810-835)	7	2	11		5		11		2	
All other accidents (800-802; 840-962)	8	1	12		9		10		2	
Suicide and self-inflicted injury (970-979)	4		3		2		5			
Homicide (980-985)		1					1			1

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Bollinger		Boone		Buchanan		Butler		Caldwell	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 65	7,997		58,109		84,289		31,307		7,819	
TOTAL LIVE BIRTHS	127		1,204	104	1,662	63	494	32	119	
Attended by M.D.	60		1,188	103	1,611	63	416	15	70	
Attended by D.O.	67		16	-	51	-	71	8	48	
Attended by midwives	-		-	-	-	-	4	9	-	
Others or unspecified	-		-	1	-	-	3	-	1	
TOTAL FETAL DEATHS	2		10	1	21	1	7	2	2	
Attended by M.D.	-		8	1	20	1	5	1	1	
Attended by D.O.	2		2	-	-	-	2	-	1	
Attended by midwives	-		-	-	-	-	-	1	-	
Others or unspecified	-		-	-	1	-	-	-	-	
TOTAL DEATHS	108		457	42	1,249	34	447	35	155	
Under one year of age	4		25	2	31	2	8	1	1	
Neonatal deaths	2		20	1	22	2	8		1	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			1		2					
Tuberculosis, other forms (010-019)			1							
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)			1	2	4		1			
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)							1			
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)					1		1			
Measles (085)	1						1			
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					4				1	
Malignant neoplasms (140-205)	16		66	5	188	6	70	5	15	
Benign and unspecified neoplasms (210-239)	1		1		5					
Diabetes mellitus (260)	3		5	1	21		6	1	2	
Anemias (290-293)			1		4		1			
Vascular lesions affecting central nervous system (330-334)	16		62	2	160	1	52	11	27	
Nonmeningococcal meningitis (340)				1						
Rheumatic fever (400-402)							1			
Chronic rheumatic heart disease (410-416)			5	1	9		3			
Arteriosclerotic and degenerative heart disease (420-422)	34		152	13	468	13	152	5	56	
Other diseases of heart (430-434)	2		5	2	13	1	13	1	5	
Hypertension with heart disease (440-443)	4		12	2	52	1	6		3	
Hypertension w/o mention of heart (444-447)			8		13		3			
Other diseases of circulatory system (450-468)	3		13	1	33	2	10		2	
Influenza (480-483)			1		3				2	
Lobar pneumonia 4 weeks (490)	1		1		8		1		2	
Bronchopneumonia 4 weeks (491)	2		7		18		3		2	
Pneumonia, other forms 4 weeks (492-493)			5	3	8	1	8		4	
Bronchitis (500-502)	2		2		7		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)					1					
Cirrhosis of liver (581)	1		7		10		1			
Other diseases of digestive system (530-587 excl. above)	1		10		24		14		2	
Nephritis and nephrosis (590-594)	2		2		7		3		3	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			7		4		5			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		6		8	1	1		1	
Pneumonia of newborn (under 4 weeks) (763)			2		1					
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)			1		1					
Other diseases of early infancy (under 4 weeks) (769-776)			8	1	11	1	5	1		
Senility, ill defined and unknown causes (780-795)	2		1		49		21	6	5	
All other diseases (residual)	6		22	1	43	1	20	3	8	
Motor vehicle accidents (810-835)	5		17	5	18	4	22	1	8	
All other accidents (800-802; 840-962)	4		16	2	30	1	18		7	
Suicide and self-inflicted injury (970-979)	1		8		19	1	3			
Homicide (980-985)			1		2			1		

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Callaway		Camden		Cape Girardeau		Carroll		Carter	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 65	23,080		9,327		41,730		12,365		3,447	
TOTAL LIVE BIRTHS	335	40	124		674	38	174	5	56	
Attended by M.D.	299	32	79		634	34	115	2	50	
Attended by D.O.	34	8	45		40	4	59	3	6	
Attended by midwives	-	-	-		-	-	-	-	-	
Others or unspecified	2	-	-		-	-	-	-	-	
TOTAL FETAL DEATHS	4	-	-		11	3	1	-	2	
Attended by M.D.	4	-	-		11	2	1	-	1	
Attended by D.O.	-	-	-		-	1	-	-	1	
Attended by midwives	-	-	-		-	-	-	-	-	
Others or unspecified	-	-	-		-	-	-	-	-	
TOTAL DEATHS	260	25	118	1	406	15	212	5	66	
Under one year of age	9	2	2		9	1	1			
Neonatal deaths	8	1	1		6	1	1			
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			2		1		1			
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	2		1		1					
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)					1					
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)		1								
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	2	1								
Malignant neoplasms (140-205)	41	3	14		63	3	32		11	
Benign and unspecified neoplasms (210-239)	1				2					
Diabetes mellitus (260)	4		2		7		5			
Anemias (290-293)	1	1	1		2					
Vascular lesions affecting central nervous system (330-334)	23	4	13		52	4	28		10	
Nonmeningococcal meningitis (340)					1					
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1				5					
Arteriosclerotic and degenerative heart disease (420-422)	83	7	46		156	2	70	2	23	
Other diseases of heart (430-434)	5		4		4	2	5		2	
Hypertension with heart disease (440-443)	7	2	3		6				1	
Hypertension w/o mention of heart (444-447)	2				4		3			
Other diseases of circulatory system (450-468)	14	1	5		16		5			
Influenza (480-483)	1						3			
Lobar pneumonia 4 weeks (490)	1	1			5		4			
Bronchopneumonia 4 weeks (491)	8		1		5		4			
Pneumonia, other forms 4 weeks (492-493)	2		1		5	1	4			
Bronchitis (500-502)					2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)					1					
Cirrhosis of liver (581)	1				3					
Other diseases of digestive system (530-587 excl. above)	7		1		10		3	2		
Nephritis and nephrosis (590-594)	2				4		1			
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	3	1								
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		1		1	1				
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)							1			
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	3	1			4					
Senility, ill defined and unknown causes (780-795)	6		2		2		7		8	
All other diseases (residual)	14	1	9	1	16		14	1	3	
Motor vehicle accidents (810-835)	4		5		13	1	11		6	
All other accidents (800-802; 840-962)	15	1	3		12		10		2	
Suicide and self-inflicted injury (970-979)	4		4		2					
Homicide (980-985)						1	1			

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Cass		Cedar		Chariton		Christian		Clark	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	37,235		8,206		11,093		11,728		8,247	
TOTAL LIVE BIRTHS	701	2	127		118	22	180		127	
Attended by M.D.	557	2	84		88	19	174		114	
Attended by D.O.	143	-	43		29	2	6		13	
Attended by midwives	-	-	-		-	-	-		-	
Others or unspecified	1	-	-		1	1	-		-	
TOTAL FETAL DEATHS	8	-	-		5	-	7		2	
Attended by M.D.	6	-	-		3	-	7		1	
Attended by D.O.	2	-	-		2	-	-		1	
Attended by midwives	-	-	-		-	-	-		-	
Others or unspecified	-	-	-		-	-	-		-	
TOTAL DEATHS	279	2	164		187	12	141		111	
Under one year of age	12	1	3		2	2	4		3	
Neonatal deaths	6	1	2		2		4		3	
Maternal deaths							1			
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1						1		1	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	1									
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)							1			
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	2									
Malignant neoplasms (140-205)	35	1	20		30		30		26	
Benign and unspecified neoplasms (210-239)	1						1			
Diabetes mellitus (260)	1		1		1	1	1		1	
Anemias (290-293)			1		1					
Vascular lesions affecting central nervous system (330-334)	39		31		19	2	20		12	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1		2		1					
Arteriosclerotic and degenerative heart disease (420-422)	84		64		78	1	43		31	
Other diseases of heart (430-434)	10		9		1		1		2	
Hypertension with heart disease (440-443)	4		5		4		6		1	
Hypertension w/o mention of heart (444-447)	2		1							
Other diseases of circulatory system (450-468)	7		2		11	3	5		9	
Influenza (480-483)	1		1		4				1	
Lobar pneumonia 4 weeks (490)						1	1			
Bronchopneumonia 4 weeks (491)	8		5		2				2	
Pneumonia, other forms 4 weeks (492-493)	1		3		2	1	1		1	
Bronchitis (500-502)	2									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	2		1		1				1	
Other diseases of digestive system (530-587 excl. above)	7		2		5		2		3	
Nephritis and nephrosis (590-594)	2		1		1					
Complications of pregnancy and puerperium (640-652; 660-689)							1			
Congenital malformations (750-759)	2				2	1	1		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2						1			
Pneumonia of newborn (under 4 weeks) (763)		1								
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	4		2				2		1	
Senility, ill defined and unknown causes (780-795)	11		1		1		5		3	
All other diseases (residual)	17		3		6	2	10		7	
Motor vehicle accidents (810-835)	13		3		10				4	
All other accidents (800-802; 840-962)	15		5		4		2		4	
Suicide and self-inflicted injury (970-979)	3		1		2		6			
Homicide (980-985)	1				1					

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Clay		Clinton		Cole		Cooper		Crawford	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	127,903		10,976		41,951		14,236		12,575	
TOTAL LIVE BIRTHS	2,037	14	155	5	764	27	227	16	242	
Attended by M.D.	1,799	12	95	4	668	18	214	14	196	
Attended by D.O.	236	2	60	1	96	9	12	1	45	
Attended by midwives	-	-	-	-	-	-	-	-	-	
Others or unspecified	2	-	-	-	-	-	1	1	1	
TOTAL FETAL DEATHS	23	-	3	1	11	-	1	-	-	
Attended by M.D.	20	-	1	-	9	-	1	-	-	
Attended by D.O.	3	-	2	1	2	-	-	-	-	
Attended by midwives	-	-	-	-	-	-	-	-	-	
Others or unspecified	-	-	-	-	-	-	-	-	-	
TOTAL DEATHS	610	11	174	5	360	16	165	26	198	
Under one year of age	38	-	2	-	21	-	5	1	9	
Neonatal deaths	30	-	1	-	17	-	5	-	6	
Maternal deaths	1	-	-	-	-	-	-	-	-	
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			1		2				1	
Tuberculosis, other forms (010-019)	1									
Syphilis, under 1 year (020-029)					1					
Syphilis, age 1 year and over (020-029)									1	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)	1									
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	3		1		1				1	
Malignant neoplasms (140-205)	109	2	30		59	5	21	3	25	
Benign and unspecified neoplasms (210-239)	2				1		1		1	
Diabetes mellitus (260)	10		2	1	3	2			2	
Anemias (290-293)	3				2					
Vascular lesions affecting central nervous system (330-334)	75	1	16		32	1	18	4	28	
Nonmeningococcal meningitis (340)			1		1					
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	6		1		2		1			
Arteriosclerotic and degenerative heart disease (420-422)	189	3	68	3	128	2	63	6	66	
Other diseases of heart (430-434)	8	1	7		12	1	7		12	
Hypertension with heart disease (440-443)	7	1	3		12		3	4	2	
Hypertension w/o mention of heart (444-447)	5	1			3		3	1		
Other diseases of circulatory system (450-468)	18		5		17	1	6		5	
Influenza (480-483)	1				1					
Lobar pneumonia 4 weeks (490)	2				1		3		1	
Bronchopneumonia 4 weeks (491)	7		1		4		2		3	
Pneumonia, other forms 4 weeks (492-493)	10		2		2		5	1	10	
Bronchitis (500-502)					1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									2	
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	6				3	2	1			
Other diseases of digestive system (530-587 excl. above)	14	1	6		7	1	7	2	2	
Nephritis and nephrosis (590-594)	4	1	1	1	2		2		1	
Complications of pregnancy and puerperium (640-652; 660-689)	1									
Congenital malformations (750-759)	10		1		4		1		4	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	13				10		1		1	
Pneumonia of newborn (under 4 weeks) (763)					1		1		1	
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)					1					
Other diseases of early infancy (under 4 weeks) (769-776)	8				2		1		3	
Senility, ill defined and unknown causes (780-795)	5		4		8		2	3	1	
All other diseases (residual)	35		5		16		3	1	6	
Motor vehicle accidents (810-835)	21		4		12		9		5	
All other accidents (800-802; 840-962)	20		8		6		1	1	13	
Suicide and self-inflicted injury (970-979)	13		5		3		2		1	
Homicide (980-985)	3		2			1				

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Dade		Dallas		Davies		DeKalb		Dent	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	6,515		8,271		8,226		6,452		9,601	
TOTAL LIVE BIRTHS	73		100		114		89		150	
Attended by M.D.	50		88		62		51		122	
Attended by D.O.	23		12		52		38		24	
Attended by midwives	-		-		-		-		4	
Others or unspecified	-		-		-		-		-	
TOTAL FETAL DEATHS	-		-		2		2		4	
Attended by M.D.	-		-		2		1		3	
Attended by D.O.	-		-		-		1		1	
Attended by midwives	-		-		-		-		-	
Others or unspecified	-		-		-		-		-	
TOTAL DEATHS	105		131		153		113		131	
Under one year of age			1		3		3		2	
Neonatal deaths					3		3		1	
Maternal deaths			1							
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1		1							
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)			1							
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)									1	
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)										
Malignant neoplasms (140-205)	24		26		27		19		26	
Benign and unspecified neoplasms (210-239)			1							
Diabetes mellitus (260)	2		1		2		4		3	
Anemias (290-293)	1									
Vascular lesions affecting central nervous system (330-334)	14		18		19		8		9	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1		1						1	
Arteriosclerotic and degenerative heart disease (420-422)	34		42		46		48		49	
Other diseases of heart (430-434)	4		4		8		3		4	
Hypertension with heart disease (440-443)	1		2		4				6	
Hypertension w/o mention of heart (444-447)	1		1		1		1			
Other diseases of circulatory system (450-468)	2		7		9		2		7	
Influenza (480-483)			1		1					
Lobar pneumonia 4 weeks (490)					2					
Bronchopneumonia 4 weeks (491)	1						1			
Pneumonia, other forms 4 weeks (492-493)			1				1		2	
Bronchitis (500-502)							1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	1		1		1				1	
Other diseases of digestive system (530-587 excl. above)	1		2		5		2		5	
Nephritis and nephrosis (590-594)	1		1		2		3			
Complications of pregnancy and puerperium (640-652; 660-689)			1							
Congenital malformations (750-759)	1		1		1		1			
Birth injuries, asphyxia, (under 4 weeks) (760-762)					1					
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)					1		3		1	
Senility, ill defined and unknown causes (780-795)	2		4		2		2		2	
All other diseases (residual)	10		8		12		10		7	
Motor vehicle accidents (810-835)	2		2		4		2		1	
All other accidents (800-802; 840-962)			4		2		2		3	
Suicide and self-inflicted injury (970-979)	1				3				2	
Homicide (980-985)										

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Douglas		Dunklin		Franklin		Gasconade		Gentry	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	8,058		34,433		48,191		11,481		7,494	
TOTAL LIVE BIRTHS	123	1	582	42	1,034	17	156		117	
Attended by M.D.	94	-	548	27	985	17	123		89	
Attended by D.O.	25	-	34	14	48	-	32		28	
Attended by midwives	-	-	-	-	-	-	-		-	
Others or unspecified	4	1	-	1	1	-	1		-	
TOTAL FETAL DEATHS	2	-	6	1	8	-	-		3	
Attended by M.D.	2	-	6	1	8	-	-		2	
Attended by D.O.	-	-	-	-	-	-	-		1	
Attended by midwives	-	-	-	-	-	-	-		-	
Others or unspecified	-	-	-	-	-	-	-		-	
TOTAL DEATHS	112		409	18	530	9	172		158	
Under one year of age	1		9	5	23		2		1	
Neonatal deaths	1		7	2	18		1			
Maternal deaths			1							
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			1		1					
Tuberculosis, other forms (010-019)			1							
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)			1		1					
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)			1		1					
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)			1							
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					2		1		1	
Malignant neoplasms (140-205)	22		58	3	98	1	24		24	
Benign and unspecified neoplasms (210-239)	1		2		1					
Diabetes mellitus (260)	2		8	1	4		5			
Anemias (290-293)							1			
Vascular lesions affecting central nervous system (330-334)	24		45	1	52		24		30	
Nonmeningococcal meningitis (340)					1					
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	2		6		7				3	
Arteriosclerotic and degenerative heart disease (420-422)	29		148	4	193	3	66		52	
Other diseases of heart (430-434)	3		6		9	1	5		6	
Hypertension with heart disease (440-443)	2		12		10		1		8	
Hypertension w/o mention of heart (444-447)			2		2				1	
Other diseases of circulatory system (450-468)	5		20		17		13		3	
Influenza (480-483)			1		1		1			
Lobar pneumonia 4 weeks (490)	1		2	1	1		2			
Bronchopneumonia 4 weeks (491)			5		8		1		1	
Pneumonia, other forms 4 weeks (492-493)			8		12		1		3	
Bronchitis (500-502)			1				1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1			1						
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	1		3		3	1			1	
Other diseases of digestive system (530-587 excl. above)	4		10		15		3		6	
Nephritis and nephrosis (590-594)	2		3		2		2		2	
Complications of pregnancy and puerperium (640-652; 660-689)			1							
Congenital malformations (750-759)			1	1	6		1		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)			4		8					
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)				1						
Other diseases of early infancy (under 4 weeks) (769-776)	1		3		5					
Senility, ill defined and unknown causes (780-795)			8	1	5		6		2	
All other diseases (residual)	6		19	1	22	1	7		9	
Motor vehicle accidents (810-835)	1		17	1	17		1		2	
All other accidents (800-802; 840-962)	4		9	1	23	1	4		2	
Suicide and self-inflicted injury (970-979)	1				3		2			
Homicide (980-985)			2	1	1					

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Greene		Grundy		Harrison		Henry		Hickory	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	133,149		11,000		9,889		17,896		3,871	
TOTAL LIVE BIRTHS	2,316	67	171		118		291	5	50	
Attended by M.D.	2,277	67	150		87		172	2	30	
Attended by D.O.	39	-	21		31		119	3	19	
Attended by midwives	-	-	-		-		-	-	-	
Others or unspecified	-	-	-		-		-	-	1	
TOTAL FETAL DEATHS	20	3	2		1		6	-	-	
Attended by M.D.	19	3	1		1		4	-	-	
Attended by D.O.	1	-	1		-		2	-	-	
Attended by midwives	-	-	-		-		-	-	-	
Others or unspecified	-	-	-		-		-	-	-	
TOTAL DEATHS	1,382	45	217	2	151		303	9	71	
Under one year of age	36	1	5		5		11			
Neonatal deaths	26		5		5		8			
Maternal deaths	1		1							
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	12								1	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	6						2			
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)								1		
Meningococcal infections (057)	2									
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)	1									
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	3	1								
Malignant neoplasms (140-205)	200	8	22		25		42	1	9	
Benign and unspecified neoplasms (210-239)	4				1		1	1		
Diabetes mellitus (260)	13	2	5		2		5		1	
Anemias (290-293)	3								1	
Vascular lesions affecting central nervous system (330-334)	202	10	24		14		45		8	
Nonmeningococcal meningitis (340)	2									
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	8				1		1			
Arteriosclerotic and degenerative heart disease (420-422)	467	8	87		38		110	4	25	
Other diseases of heart (430-434)	25	2	2		3		7	1	7	
Hypertension with heart disease (440-443)	36	1	22	1	18		3		2	
Hypertension w/o mention of heart (444-447)	9		1		1		1		1	
Other diseases of circulatory system (450-468)	82	3	2		7		7		5	
Influenza (480-483)	1		3		1		2		1	
Lobar pneumonia 4 weeks (490)	4						2			
Bronchopneumonia 4 weeks (491)	27	1	5				11		2	
Pneumonia, other forms 4 weeks (492-493)	6		1		4		2			
Bronchitis (500-502)	6						4			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	7		1		1		1			
Other diseases of digestive system (530-587 excl. above)	33	1	5		6		12	1		
Nephritis and nephrosis (590-594)	8	1	3		3		1			
Complications of pregnancy and puerperium (640-652; 660-689)	1		1							
Congenital malformations (750-759)	15		1		1		4			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	9		1		2		2			
Pneumonia of newborn (under 4 weeks) (763)	2				1					
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	7		4		2		4			
Senility, ill defined and unknown causes (780-795)	53	4	10		2		8		1	
All other diseases (residual)	39	1	4	1	12		12			
Motor vehicle accidents (810-835)	32	2	2		1		5		2	
All other accidents (800-802; 840-962)	41		10		5		6		3	
Suicide and self-inflicted injury (970-979)	16		1				3		2	
Homicide (980-985)										

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Holt		Howard		Howell		Iron		Jackson	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 65	6,639		10,005		20,505		6,994		638,814	
TOTAL LIVE BIRTHS	104		135	30	339	1	125		10,026	2,974
Attended by M.D.	97		127	29	298	1	117		8,653	2,891
Attended by D.O.	7		8	1	40	-	8		1,371	82
Attended by midwives	-		-	-	-	-	-		-	1
Others or unspecified	-		-	-	1	-	-		2	-
TOTAL FETAL DEATHS	1		3	2	7	-	2		116	64
Attended by M.D.	1		3	2	6	-	2		96	63
Attended by D.O.	-		-	-	1	-	-		19	1
Attended by midwives	-		-	-	-	-	-		-	-
Others or unspecified	-		-	-	-	-	-		1	-
TOTAL DEATHS	104		114	12	315	1	146		5,683	1,170
Under one year of age			2	1	11		10		245	112
Neonatal deaths			1		8		5		192	79
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)					3				24	4
Tuberculosis, other forms (010-019)									1	1
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)									11	1
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)									1	
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)									1	1
Measles (085)										
Infectious Hepatitis (092)									2	
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					3		2		25	13
Malignant neoplasms (140-205)	13		18	3	41		14		930	153
Benign and unspecified neoplasms (210-239)	1						1		13	6
Diabetes mellitus (260)			2		4		1		78	21
Anemias (290-293)			1				1		15	5
Vascular lesions affecting central nervous system (330-334)	13		20	4	67	1	30		602	155
Nonmeningococcal meningitis (340)									8	6
Rheumatic fever (400-402)										2
Chronic rheumatic heart disease (410-416)			1		1		1		52	8
Atherosclerotic and degenerative heart disease (420-422)	47		38	3	102		44		1,985	263
Other diseases of heart (430-434)	5		1		4		1		135	16
Hypertension with heart disease (440-443)	3				2		3		143	64
Hypertension w/o mention of heart (444-447)	1				10				21	10
Other diseases of circulatory system (450-468)	2		6		9		10		199	23
Influenza (480-483)			2		1		2		4	3
Lobar pneumonia 4 weeks (490)			1		1		2		22	9
Bronchopneumonia 4 weeks (491)	3		1		4		1		97	26
Pneumonia, other forms 4 weeks (492-493)			1		8		8		70	25
Bronchitis (500-502)			1						20	2
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1				6	4
Gastro Enteritis and colitis, 2 years (571.1)					1				7	2
Cirrhosis of liver (581)					2				93	32
Other diseases of digestive system (530-587 excl. above)	3		5		8		6		139	38
Nephritis and nephrosis (590-594)					2				43	12
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			1		1		3		59	16
Birth injuries, asphyxia, (under 4 weeks) (760-762)					5		4		53	14
Pneumonia of newborn (under 4 weeks) (763)					1				10	8
Diarrhea of newborn (under 4 weeks) (764)										1
Other infections of newborn (under 4 weeks) (765-768)									2	
Other diseases of early infancy (under 4 weeks) (769-776)									86	49
Senility, ill defined and unknown causes (780-795)	1				2		1		42	10
All other diseases (residual)	3		6	1	18		5		245	62
Motor vehicle accidents (810-835)	5				7		5		136	16
All other accidents (800-802; 840-962)	4		8	1	5		1		177	33
Suicide and self-inflicted injury (970-979)			1						97	4
Homicide (980-985)					2				29	52

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Jasper		Jefferson		Johnson		Knox		Laclede	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	74,641		90,735		34,053		5,807		17,988	
TOTAL LIVE BIRTHS	1,240	21	1,690	20	361	20	77		285	3
Attended by M.D.	1,040	17	1,563	18	334	18	31		269	3
Attended by D.O.	200	4	125	2	27	2	46		16	-
Attended by midwives	-	-	-	-	-	-	-		-	-
Others or unspecified	-	-	2	-	-	-	-		-	-
TOTAL FETAL DEATHS	25	-	28	-	10	3	-		3	-
Attended by M.D.	22	-	24	-	10	3	-		3	-
Attended by D.O.	3	-	4	-	-	-	-		-	-
Attended by midwives	-	-	-	-	-	-	-		-	-
Others or unspecified	-	-	-	-	-	-	-		-	-
TOTAL DEATHS	1,085	15	633	12	291	20	76	2	263	3
Under one year of age	34		31	1	23	3	1		9	
Neonatal deaths	22		23		21	3	1		7	
Maternal deaths	1									
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	8		2						1	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	1				1		1	1		
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)			1							
Tularemia (059)	1									
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)			1							
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	4		1						2	
Malignant neoplasms (140-205)	161	2	105	2	42	2	13		35	
Benign and unspecified neoplasms (210-239)	2		2			1				
Diabetes mellitus (260)	11	1	14		2	1	1		4	
Anemias (290-293)		1							3	
Vascular lesions affecting central nervous system (330-334)	112	3	70		26	1	8		28	
Nonmeningococcal meningitis (340)	1					1				
Rheumatic fever (400-402)					1					
Chronic rheumatic heart disease (410-416)	8		8				1		1	
Arteriosclerotic and degenerative heart disease (420-422)	342	3	196	5	110	7	27		80	1
Other diseases of heart (430-434)	18		10		6		1		8	
Hypertension with heart disease (440-443)	25	1	6	1	5		4	1	10	
Hypertension w/o mention of heart (444-447)	8		9				3		3	
Other diseases of circulatory system (450-468)	51	1	32		8		3		12	
Influenza (480-483)	6		1				1		1	
Lobar pneumonia 4 weeks (490)	9	1	3	2						1
Bronchopneumonia 4 weeks (491)	19		23	1	6				6	
Pneumonia, other forms 4 weeks (492-493)	12		10	1	6		1		5	
Bronchitis (500-502)			2		3				1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)	2	1	1		1					
Cirrhosis of liver (581)	7		4		1				3	
Other diseases of digestive system (530-587 excl. above)	35		10		6		1		7	
Nephritis and nephrosis (590-594)	18		2		2	1			5	1
Complications of pregnancy and puerperium (640-652; 660-689)	1									
Congenital malformations (750-759)	10		11		5					
Birth injuries, asphyxia, (under 4 weeks) (760-762)	8		6		3				2	
Pneumonia of newborn (under 4 weeks) (763)	2									
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)	2									
Other diseases of early infancy (under 4 weeks) (769-776)	5		8		11	3	1		5	
Senility, ill defined and unknown causes (780-795)	49		10		3	1	1		12	
All other diseases (residual)	66		20		10	1	3		13	
Motor vehicle accidents (810-835)	27	1	37		12		3		4	
All other accidents (800-802; 840-962)	38		19		15	1	2		10	
Suicide and self-inflicted injury (970-979)	14		8		5		1		2	
Homicide (980-985)	2		1		1					

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Lafayette		Lawrence		Lewis		Lincoln		Linn	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 65	23,974		22,147		10,700		14,949		14,815	
TOTAL LIVE BIRTHS	337	21	347		149	10	250	17	166	3
Attended by M.D.	269	17	300		133	8	185	14	103	3
Attended by D.O.	67	4	45		16	2	65	3	63	-
Attended by midwives	-	-	-		-	-	-	-	-	-
Others or unspecified	1	-	2		-	-	-	-	-	-
TOTAL FETAL DEATHS	2	-	5		-	-	5	1	4	-
Attended by M.D.	2	-	5		-	-	5	1	3	-
Attended by D.O.	-	-	-		-	-	-	-	1	-
Attended by midwives	-	-	-		-	-	-	-	-	-
Others or unspecified	-	-	-		-	-	-	-	-	-
TOTAL DEATHS	286	27	338	1	147	8	178	7	244	5
Under one year of age	8		16		2	1	4		2	1
Neonatal deaths	6		11		1	1	3		2	1
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1		3				2		1	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)			1		1					
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)	1									
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)										
Malignant neoplasms (140-205)	44	7	48	1	24		17	1	45	1
Benign and unspecified neoplasms (210-239)			2							
Diabetes mellitus (260)	2		2		1		3		2	
Anemias (290-293)	2				1		1			
Vascular lesions affecting central nervous system (330-334)	31	4	46		25	2	40	3	40	2
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)			3		1				2	
Arteriosclerotic and degenerative heart disease (420-422)	107	10	108		55	3	56	2	67	
Other diseases of heart (430-434)	6		6		2		5		3	
Hypertension with heart disease (440-443)	4	1	7		3		6		6	
Hypertension w/o mention of heart (444-447)	2				1		1		3	
Other diseases of circulatory system (450-468)	4	2	10		2		10	1	13	
Influenza (480-483)	1		1		1		2			
Lobar pneumonia 4 weeks (490)	1								1	
Bronchopneumonia 4 weeks (491)	10	1	11		1		1		3	
Pneumonia, other forms 4 weeks (492-493)	6	1	5						2	
Bronchitis (500-502)										
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)			2							
Cirrhosis of liver (581)	4						2		2	
Other diseases of digestive system (530-587 excl. above)	9		13		6		3		8	
Nephritis and nephrosis (590-594)	3		3		2				4	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	1		3				2			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		4				2		1	1
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	4		6			1	1		1	
Senility, ill defined and unknown causes (780-795)	2		11				3		1	
All other diseases (residual)	16		22		8	1	6		17	
Motor vehicle accidents (810-835)	8	1	8		6	1	4		19	
All other accidents (800-802; 840-962)	11		9		6		7		3	1
Suicide and self-inflicted injury (970-979)	5		4				4			
Homicide (980-985)					1					

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Livingston		McDonald		Macon		Madison		Maries	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	14,639		10,286		14,834		8,242		6,791	
TOTAL LIVE BIRTHS	272	1	192		168	7	113		85	
Attended by M.D.	195	1	146		68	5	110		40	
Attended by D.O.	77	-	46		100	2	3		45	
Attended by midwives	-	-	-		-	-	-		-	
Others or unspecified	-	-	-		-	-	-		-	
TOTAL FETAL DEATHS	3	-	2		3	2	4		2	
Attended by M.D.	3	-	1		-	-	4		1	
Attended by D.O.	-	-	1		3	2	-		1	
Attended by midwives	-	-	-		-	-	-		-	
Others or unspecified	-	-	-		-	-	-		-	
TOTAL DEATHS	189	9	151		250	7	131	1	59	
Under one year of age	3	1	2		2		5		1	
Neonatal deaths	2		2		1		4		1	
Maternal deaths					1					
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			1							
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	1									
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)			2		1					
Malignant neoplasms (140-205)	34	2	27		29	1	18		8	
Benign and unspecified neoplasms (210-239)	1		1		1					
Diabetes mellitus (260)	4		2		5		2			
Anemias (290-293)					2					
Vascular lesions affecting central nervous system (330-334)	37	4	28		34	3	19		7	
Nonmeningococcal meningitis (340)					1					
Rheumatic fever (400-402)							1			
Chronic rheumatic heart disease (410-416)							1			
Arteriosclerotic and degenerative heart disease (420-422)	57	1	40		90	1	55		20	
Other diseases of heart (430-434)	4		6		6		1		3	
Hypertension with heart disease (440-443)	1		1		14				1	
Hypertension w/o mention of heart (444-447)	2		1		2		2			
Other diseases of circulatory system (450-468)	7		2		14		2			
Influenza (480-483)			1				1			
Lobar pneumonia 4 weeks (490)	4		1		1				1	
Bronchopneumonia 4 weeks (491)	4		4		3		1			
Pneumonia, other forms 4 weeks (492-493)	6	1	3		2		2		4	
Bronchitis (500-502)										
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	1		2		1		1		1	
Other diseases of digestive system (530-587 excl. above)	2		9		5	1	4		3	
Nephritis and nephrosis (590-594)	2		1		2				1	
Complications of pregnancy and puerperium (640-652; 660-689)					1					
Congenital malformations (750-759)										
Birth injuries, asphyxia, (under 4 weeks) (760-762)							1		1	
Pneumonia of newborn (under 4 weeks) (763)			1				1			
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	2		1		1		2			
Senility, ill defined and unknown causes (780-795)	1		4		5				1	
All other diseases (residual)	10	1	8		12	1	6		2	
Motor vehicle accidents (810-835)	1		3		6		8	1	3	
All other accidents (800-802; 840-962)	7		2		11		3		3	
Suicide and self-inflicted injury (970-979)					1					
Homicide (980-985)	1									

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Marion		Mercer		Miller		Mississippi		Moniteau	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 65	27,900		4,798		13,159		18,801		9,853	
TOTAL LIVE BIRTHS	473	27	57		222		255	164	161	1
Attended by M.D.	470	17	22		74		139	25	121	1
Attended by D.O.	3	-	35		148		115	98	40	-
Attended by midwives	-	-	-		-		-	37	-	-
Others or unspecified	-	-	-		-		1	4	-	-
TOTAL FETAL DEATHS	3	1	-		1		3	5	2	-
Attended by M.D.	3	1	-		-		1	2	2	-
Attended by D.O.	-	-	-		1		2	3	-	-
Attended by midwives	-	-	-		-		-	-	-	-
Others or unspecified	-	-	-		-		-	-	-	-
TOTAL DEATHS	383	26	110		173	1	154	76	151	2
Under one year of age	9	1	3		1		7	11	6	1
Neonatal deaths	7		2				5	8	5	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1						1		1	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)									1	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)									2	
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)							1			
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	1				1			1		
Malignant neoplasms (140-205)	51	5	12		31		21	7	20	
Benign and unspecified neoplasms (210-239)			1						2	
Diabetes mellitus (260)	6		3		9		2	1	3	
Anemias (290-293)					1					
Vascular lesions affecting central nervous system (330-334)	47	3	7		17		20	7	25	1
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1						1			
Arteriosclerotic and degenerative heart disease (420-422)	156	12	50		63	1	44	15	54	
Other diseases of heart (430-434)	6	2	4		6		12		3	
Hypertension with heart disease (440-443)	6		9		1		2	1	4	
Hypertension w/o mention of heart (444-447)	4						1		1	
Other diseases of circulatory system (450-468)	14	1	5		4		3	3	2	
Influenza (480-483)							1		1	
Lobar pneumonia 4 weeks (490)	5		2		1		1		1	1
Bronchopneumonia 4 weeks (491)	10	1	1		5		1	1	2	
Pneumonia, other forms 4 weeks (492-493)	5		1				2		1	
Bronchitis (500-502)									2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								2		
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	2				1		2		1	
Other diseases of digestive system (530-587 excl. above)	7				5			2	3	
Nephritis and nephrosis (590-594)	3							1	3	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	2		1		1		3			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	4						1			
Pneumonia of newborn (under 4 weeks) (763)								1	2	
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	2		1				3	2	2	
Senility, ill defined and unknown causes (780-795)	5				2		10	21	2	
All other diseases (residual)	15		4		11		5	4	3	
Motor vehicle accidents (810-835)	8		1		8		8	3	6	
All other accidents (800-802; 840-962)	19	1	5		6		7	2	3	
Suicide and self-inflicted injury (970-979)	3		3							
Homicide (980-985)		1					2	2	1	

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Monroe		Montgomery		Morgan		New Madrid		Newton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	9,961		10,651		8,632		26,774		29,571	
TOTAL LIVE BIRTHS	115	11	157	13	108	2	337	199	501	2
Attended by M.D.	99	10	103	12	92	2	277	117	378	1
Attended by D.O.	16	1	52	1	16	-	58	23	123	1
Attended by midwives	-	-	-	-	-	-	1	58	-	-
Others or unspecified	-	-	2	-	-	-	1	1	-	-
TOTAL FETAL DEATHS	3	1	1	-	1	-	1	7	5	-
Attended by M.D.	3	1	-	-	1	-	1	4	3	-
Attended by D.O.	-	-	1	-	-	-	-	2	2	-
Attended by midwives	-	-	-	-	-	-	-	1	-	-
Others or unspecified	-	-	-	-	-	-	-	-	-	-
TOTAL DEATHS	122	11	181	9	133	2	215	74	330	5
Under one year of age	3	-	5	-	2	-	14	14	10	1
Neonatal deaths	1	-	3	-	1	-	13	2	6	1
Maternal deaths	1	-	-	-	-	-	1	-	-	-
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)					1		2	2	2	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)							1			
Meningococcal infections (057)			1							
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)									1	
Measles (085)					1					
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)							1			
Other infectious and parasitic diseases (030-138, exc. above)										
Malignant neoplasms (140-205)	21	4	20	1	12		26	5	46	2
Benign and unspecified neoplasms (210-239)			1		1		2		1	
Diabetes mellitus (260)			7	1	1		1		3	
Anemias (290-293)									1	
Vascular lesions affecting central nervous system (330-334)	16	1	33	2	18		20	12	42	1
Nonmeningococcal meningitis (340)		1					1		1	
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)			1		2		3			
Arteriosclerotic and degenerative heart disease (420-422)	38	1	58	3	42	1	77	7	105	1
Other diseases of heart (430-434)	6	1	4		4		3	1	12	
Hypertension with heart disease (440-443)	4	1	3				3	2	6	
Hypertension w/o mention of heart (444-447)	1		5		1		2		1	
Other diseases of circulatory system (450-468)	11		5	1	7	1	3	1	8	
Influenza (480-483)					2			1	2	
Lobar pneumonia 4 weeks (490)			3		1		1	1	1	
Bronchopneumonia 4 weeks (491)					6		3	3	5	
Pneumonia, other forms 4 weeks (492-493)	3	1	2		3		5	4	9	
Bronchitis (500-502)									1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								2		
Gastro Enteritis and colitis, 2 years (571.1)					1				1	
Cirrhosis of liver (581)			1				2		5	
Other diseases of digestive system (530-587 excl. above)	1		8		7		4	2	7	
Nephritis and nephrosis (590-594)	1				1		4	2	4	
Complications of pregnancy and puerperium (640-652; 660-689)	1						1			
Congenital malformations (750-759)			1				2	3	4	
Birth injuries, asphyxia, (under 4 weeks) (760-762)							4	1	3	
Pneumonia of newborn (under 4 weeks) (763)							2		1	
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	1		2		1		5		1	
Senility, ill defined and unknown causes (780-795)	3	1	4				9	12	14	1
All other diseases (residual)	7		9	1	7		7	1	13	
Motor vehicle accidents (810-835)	4		1		11		10	5	11	
All other accidents (800-802; 840-962)	3		6		3		9	4	11	
Suicide and self-inflicted injury (970-979)	1		6				1		7	
Homicide (980-985)							1	3	1	

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Nodaway		Oregon		Osage		Ozark		Pemiscot	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	20,258		8,455		10,188		5,544		33,474	
TOTAL LIVE BIRTHS	374		111		197		91		422	299
Attended by M.D.	366		74		148		89		419	271
Attended by D.O.	8		37		49		2		2	1
Attended by midwives	-		-		-		-		-	25
Others or unspecified	-		-		-		-		1	2
TOTAL FETAL DEATHS	5		1		5		-		13	8
Attended by M.D.	5		-		3		-		13	8
Attended by D.O.	-		1		2		-		-	-
Attended by midwives	-		-		-		-		-	-
Others or unspecified	-		-		-		-		-	-
TOTAL DEATHS	299		148		131		87		299	124
Under one year of age	3		3		6		1		10	24
Neonatal deaths	3		2		5		1		4	8
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1		1						2	2
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	2									
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)									1	
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										1
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					1				1	
Malignant neoplasms (140-205)	44		26		18		15		40	11
Benign and unspecified neoplasms (210-239)	1									
Diabetes mellitus (260)	1		3		2		1		3	1
Anemias (290-293)	1		1							
Vascular lesions affecting central nervous system (330-334)	62		20		9		6		43	17
Nonmeningococcal meningitis (340)									1	1
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1		1		3		1			
Arteriosclerotic and degenerative heart disease (420-422)	87		54		49		32		95	17
Other diseases of heart (430-434)	3		3		4		1		4	6
Hypertension with heart disease (440-443)	12		8		5		3		6	9
Hypertension w/o mention of heart (444-447)	6		1		1				1	3
Other diseases of circulatory system (450-468)	11		4		6		1		3	
Influenza (480-483)	4		1				1			
Lobar pneumonia 4 weeks (490)	1		1		1				3	1
Bronchopneumonia 4 weeks (491)	6				3		2		5	1
Pneumonia, other forms 4 weeks (492-493)	1		1		1		2		4	6
Bronchitis (500-502)	1				1				1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										2
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	2		1		1				6	
Other diseases of digestive system (530-587 excl. above)	7		2		3		1		9	3
Nephritis and nephrosis (590-594)	3						6		1	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	1						2		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		2		2				2	1
Pneumonia of newborn (under 4 weeks) (763)										2
Diarrhea of newborn (under 4 weeks) (764)										1
Other infections of newborn (under 4 weeks) (765-768)									2	3
Other diseases of early infancy (under 4 weeks) (769-776)					3					
Senility, ill defined and unknown causes (780-795)			3		2		1		12	16
All other diseases (residual)	16		3		6		5		17	6
Motor vehicle accidents (810-835)	13		2		1				20	3
All other accidents (800-802; 840-962)	9		7		9		6		11	7
Suicide and self-inflicted injury (970-979)			3				1		3	
Homicide (980-985)									2	4

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Perry		Pettis		Phelps		Pike		Platte	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	13,652		35,541		26,339		15,875		29,382	
TOTAL LIVE BIRTHS	269		462	38	449	2	255	22	502	4
Attended by M.D.	265		360	38	364	2	198	17	451	3
Attended by D.O.	4		102	-	84	-	56	5	51	1
Attended by midwives	-		-	-	-	-	1	-	-	-
Others or unspecified	-		-	-	1	-	-	-	-	-
TOTAL FETAL DEATHS	6		4	-	3	-	4	1	6	-
Attended by M.D.	5		4	-	2	-	1	1	6	-
Attended by D.O.	1		-	-	1	-	3	-	-	-
Attended by midwives	-		-	-	-	-	-	-	-	-
Others or unspecified	-		-	-	-	-	-	-	-	-
TOTAL DEATHS	165		411	36	242	1	215	21	200	3
Under one year of age	7		15	2	8		5	1	13	
Neonatal deaths	6		10	1	6		4		10	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	2		1		1		1			
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)							1			
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)			1	1	1			2		
Malignant neoplasms (140-205)	24		63	8	35		29	3	25	2
Benign and unspecified neoplasms (210-239)	1		1	1	1			1	2	
Diabetes mellitus (260)	2		11	1	4		3		1	1
Anemias (290-293)					1					
Vascular lesions affecting central nervous system (330-334)	15		54	3	26		23	3	18	
Nonmeningococcal meningitis (340)			1						1	
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	3		3				1	1	1	
Arteriosclerotic and degenerative heart disease (420-422)	58		150	8	69		76	4	71	
Other diseases of heart (430-434)	4		17	3	8		10		2	
Hypertension with heart disease (440-443)	11		7	3	5		5	2	5	
Hypertension w/o mention of heart (444-447)			3		1		1		2	
Other diseases of circulatory system (450-468)	3		15		10		11	2	7	
Influenza (480-483)	1				1		1			
Lobar pneumonia 4 weeks (490)	2						4		1	
Bronchopneumonia 4 weeks (491)	2		3		1		1		4	
Pneumonia, other forms 4 weeks (492-493)	1		4		27	1	8	2	4	
Bronchitis (500-502)	1		1		1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1							
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	1		1		3		1		1	
Other diseases of digestive system (530-587 excl. above)	2		9	2	6		4	1	7	
Nephritis and nephrosis (590-594)	2		6	1	2		1		3	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			3		2		1		3	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		3	1	2		1		1	
Pneumonia of newborn (under 4 weeks) (763)			2		1				1	
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)			2							
Other diseases of early infancy (under 4 weeks) (769-776)	3		2		2		3		5	
Senility, ill defined and unknown causes (780-795)	4		3		10		1			
All other diseases (residual)	7		20	2	11		9		9	
Motor vehicle accidents (810-835)	4		11		3		4		10	
All other accidents (800-802; 840-962)	7		7	2	5		9		13	
Suicide and self-inflicted injury (970-979)	2		6		1		3		3	
Homicide (980-985)			1		2		2			

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Polk		Pulaski		Putnam		Ralls		Randolph	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	12,009		45,024		5,816		7,390		20,501	
TOTAL LIVE BIRTHS	158		320	11	83		113	5	282	19
Attended by M.D.	145		181	8	11		104	5	204	17
Attended by D.O.	13		139	3	72		9	-	77	2
Attended by midwives	-		-	-	-		-	-	-	-
Others or unspecified	-		-	-	-		-	-	-	-
TOTAL FETAL DEATHS	2		13	-	1		3	-	5	1
Attended by M.D.	2		9	-	-		3	-	5	1
Attended by D.O.	-		4	-	1		-	-	-	-
Attended by midwives	-		-	-	-		-	-	-	-
Others or unspecified	-		-	-	-		-	-	-	-
TOTAL DEATHS	231		209	9	98		107	2	328	13
Under one year of age	5		26	2	4		2		7	1
Neonatal deaths	3		20	2	2		1		6	1
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	2		2							1
Tuberculosis, other forms (010-019)			1							
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)					1					
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)			1	1						
Tularemia (059)										
Tetanus (061)			1							
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)			1							
Measles (085)										
Infectious Hepatitis (092)			1							
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)							1			
Malignant neoplasms (140-205)	32		31		17		21		59	1
Benign and unspecified neoplasms (210-239)										
Diabetes mellitus (260)	1		2		2		1		2	
Anemias (290-293)			1						1	
Vascular lesions affecting central nervous system (330-334)	42		21		15		14	1	36	2
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)					1					
Chronic rheumatic heart disease (410-416)	3		2				1			
Arteriosclerotic and degenerative heart disease (420-422)	76		42	2	38		32		126	4
Other diseases of heart (430-434)	5		3	1	4		2		3	
Hypertension with heart disease (440-443)	2		15				2		11	1
Hypertension w/o mention of heart (444-447)			1		2		1		2	
Other diseases of circulatory system (450-468)	7		5		2		5		10	1
Influenza (480-483)									2	
Lobar pneumonia 4 weeks (490)	2		1				1		2	
Bronchopneumonia 4 weeks (491)	2		1		2		1		1	
Pneumonia, other forms 4 weeks (492-493)	3		5		1		1		5	
Bronchitis (500-502)	1									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1							
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	2		3		1		1		3	
Other diseases of digestive system (530-587 excl. above)	7		1		1		1		9	
Nephritis and nephrosis (590-594)					2				1	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			4						5	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		7		1				1	
Pneumonia of newborn (under 4 weeks) (763)			2							
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	2		7	1	1		1		2	
Senility, ill defined and unknown causes (780-795)	10		11		1		1		10	
All other diseases (residual)	12		11	1	3		9	1	9	1
Motor vehicle accidents (810-835)	5		13	1	1		3		7	
All other accidents (800-802; 840-962)	7		7	1	1		7		14	
Suicide and self-inflicted injury (970-979)	6		4		1		1		7	
Homicide (980-985)	1		1	1						1

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Ray		Reynolds		Ripley		St.Charles		St.Clair	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	15,540		4,276		7,736		74,644		7,180	
TOTAL LIVE BIRTHS	221	4	69		113		1,647	22	95	
Attended by M.D.	202	4	64		106		1,461	15	71	
Attended by D.O.	17	-	2		7		185	7	24	
Attended by midwives	-	-	1		-		-	-	-	
Others or unspecified	2	-	2		-		1	-	-	
TOTAL FETAL DEATHS	4	-	-		1		27	-	-	
Attended by M.D.	3	-	-		1		23	-	-	
Attended by D.O.	1	-	-		-		4	-	-	
Attended by midwives	-	-	-		-		-	-	-	
Others or unspecified	-	-	-		-		-	-	-	
TOTAL DEATHS	220	13	65		149		434	14	144	2
Under one year of age	4		2		3		32	1	1	
Neonatal deaths	2		1		2		28		1	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1		2		1		1			
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)								1	1	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)					1		1			
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					2					
Malignant neoplasms (140-205)	32	3	10		13		85		13	
Benign and unspecified neoplasms (210-239)			1				2			
Diabetes mellitus (260)	8				2		2		1	
Anemias (290-293)									1	
Vascular lesions affecting central nervous system (330-334)	33	1	8		23		45	2	23	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	2						1		2	
Arteriosclerotic and degenerative heart disease (420-422)	64	4	28		52		144	1	54	1
Other diseases of heart (430-434)	3		1		4		10		3	
Hypertension, with heart disease (440-443)	2		2		3		4	2	1	
Hypertension w/o mention of heart (444-447)	1				1		4			
Other diseases of circulatory system (450-468)	12	1	4		10		9	4	5	
Influenza (480-483)										
Lobar pneumonia 4 weeks (490)										
Bronchopneumonia 4 weeks (491)	3		1				6		3	
Pneumonia, other forms 4 weeks (492-493)	11				4		8		2	
Bronchitis (500-502)	2						1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	1		1				4		1	
Other diseases of digestive system (530-587 excl. above)	4		2		4		6		4	
Nephritis and nephrosis (590-594)		1			2		2		4	1
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	1						7		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1						12			
Pneumonia of newborn (under 4 weeks) (763)							1			
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)			1		2		9		1	
Senility, ill defined and unknown causes (780-795)	1				4		16	1		
All other diseases (residual)	15	1	3		11		11	1	8	
Motor vehicle accidents (810-835)	9	1			8		23		9	
All other accidents (800-802; 840-962)	12				2		13	1	5	
Suicide and self-inflicted injury (970-979)	1	1	1				5			
Homicide (980-985)	1						2	1		

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	St. Francois		Ste. Genevieve		St. Louis		Saline		Schuyler	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	34,723		11,830		933,177		23,294		4,468	
TOTAL LIVE BIRTHS	547	2	201	3	14,548	611	326	23	58	
Attended by M.D.	463	2	184	3	13,953	604	301	22	16	
Attended by D.O.	83	-	17	-	590	4	25	-	42	
Attended by midwives	1	-	-	-	1	-	-	-	-	
Others or unspecified	-	-	-	-	4	3	-	1	-	
TOTAL FETAL DEATHS	9	-	1	-	163	10	3	1	1	
Attended by M.D.	7	-	1	-	155	10	3	1	1	
Attended by D.O.	2	-	-	-	8	-	-	-	-	
Attended by midwives	-	-	-	-	-	-	-	-	-	
Others or unspecified	-	-	-	-	-	-	-	-	-	
TOTAL DEATHS	494	2	123	1	5,684	204	337	38	97	
Under one year of age	12		6		273	24	4		2	
Neonatal deaths	9		4		195	16	3		1	
Maternal deaths					1					
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	5				9	1				
Tuberculosis, other forms (010-019)					1					
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)					9					
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)					1					
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)					3					
Measles (085)										
Infectious Hepatitis (092)						1	1			
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					6				2	
Malignant neoplasms (140-205)	67		18	1	1,130	35	55	7	12	
Benign and unspecified neoplasms (210-239)					18		1			
Diabetes mellitus (260)	11		2		87	1	4	1	2	
Anemias (290-293)					13				1	
Vascular lesions affecting central nervous system (330-334)	67		25		584	16	70	7	12	
Nonmeningococcal meningitis (340)	2				6	2				
Rheumatic fever (400-402)					2					
Chronic rheumatic heart disease (410-416)	2		1		52	1	2			
Arteriosclerotic and degenerative heart disease (420-422)	173	1	33		1,877	41	106	7	32	
Other diseases of heart (430-434)	5				77	3	6		8	
Hypertension with heart disease (440-443)	16	1	7		111	9	18	5		
Hypertension w/o mention of heart (444-447)	6		1		33	3	2			
Other diseases of circulatory system (450-468)	22		3		234	12	13	1	2	
Influenza (480-483)	1				2		1			
Lobar pneumonia 4 weeks (490)	6		1		30	4	1			
Bronchopneumonia 4 weeks (491)	8		2		77	3	2		4	
Pneumonia, other forms 4 weeks (492-493)	8				57	5	4			
Bronchitis (500-502)	1				13		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1					1				
Gastro Enteritis and colitis, 2 years (571.1)					4		1			
Cirrhosis of liver (581)	2				53		3			
Other diseases of digestive system (530-587 excl. above)	7		5		123	5	8		6	
Nephritis and nephrosis (590-594)	1		1		17	1		1		
Complications of pregnancy and puerperium (640-652; 660-689)					1					
Congenital malformations (750-759)			3		67	6	1	1		
Birth injuries, asphyxia, (under 4 weeks) (760-762)	5		3		98	3	2			
Pneumonia of newborn (under 4 weeks) (763)					2	1				
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)					1					
Other diseases of early infancy (under 4 weeks) (769-776)	4				62	8	1			
Senility, ill defined and unknown causes (780-795)	18		3		185	14			1	
All other diseases (residual)	19		3		254	4	15	4	6	
Motor vehicle accidents (810-835)	20		6		141	1	10	1	1	
All other accidents (800-802; 840-962)	13		3		144	21	9	3	3	
Suicide and self-inflicted injury (970-979)	4		2		83				3	
Homicide (980-985)			1		17	2				

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Scotland		Scott		Shannon		Shelby		Stoddard	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	5,780		31,216		6,325		8,275		26,250	
TOTAL LIVE BIRTHS	74		565	114	114		110	4	362	54
Attended by M.D.	34		457	43	81		80	-	228	7
Attended by D.O.	40		104	7	30		30	3	134	26
Attended by midwives	-		4	64	3		-	-	-	21
Others or unspecified	-		-	-	-		-	1	-	-
TOTAL FETAL DEATHS	1		7	1	-		1	-	3	-
Attended by M.D.	-		5	1	-		-	-	1	-
Attended by D.O.	1		2	-	-		1	-	2	-
Attended by midwives	-		-	-	-		-	-	-	-
Others or unspecified	-		-	-	-		-	-	-	-
TOTAL DEATHS	117	1	288	40	86		154	4	344	9
Under one year of age	2		12	6			2		15	1
Neonatal deaths	2		9	5			2		9	1
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			1				1			
Tuberculosis, other forms (010-019)			1							
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)				1						
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)					1					
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					1					
Malignant neoplasms (140-205)	13		42	6	14		21		42	
Benign and unspecified neoplasms (210-239)			1				1			
Diabetes mellitus (260)	1		7				4		5	
Anemias (290-293)			1		2		1		2	
Vascular lesions affecting central nervous system (330-334)	15		34	4	8		20	3	65	2
Nonmeningococcal meningitis (340)									1	
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)			1		2		1			
Arteriosclerotic and degenerative heart disease (420-422)	42	1	99	12	34		56		98	4
Other diseases of heart (430-434)	1		2	1	1		2		11	1
Hypertension with heart disease (440-443)	4		8	4	1		11		17	
Hypertension w/o mention of heart (444-447)	2				1		9		7	
Other diseases of circulatory system (450-468)	6		9	1	4		1		16	
Influenza (480-483)			1	1						
Lobar pneumonia 4 weeks (490)	1		2				1		6	
Bronchopneumonia 4 weeks (491)			8				1	1	2	
Pneumonia, other forms 4 weeks (492-493)	1		1				3		1	
Bronchitis (500-502)			1						1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)	1		1		1					
Cirrhosis of liver (581)	1		1						1	
Other diseases of digestive system (530-587 excl. above)	5		7		3		1		7	1
Nephritis and nephrosis (590-594)	5		5						2	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			4						3	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		4				2		4	
Pneumonia of newborn (under 4 weeks) (763)				1					1	
Diarrhea of newborn (under 4 weeks) (764)									1	
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)			3	3					3	1
Senility, ill defined and unknown causes (780-795)			3	1			4		6	
All other diseases (residual)	4		18	2	4		6		18	
Motor vehicle accidents (810-835)	5		13		4		4		10	
All other accidents (800-802; 840-962)	7		9	3	4		2		12	
Suicide and self-inflicted injury (970-979)	1						2		2	
Homicide (980-985)			1		1					

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Stone		Sullivan		Taney		Texas		Vernon	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 65	7,280		7,303		9,864		16,273		18,651	
TOTAL LIVE BIRTHS	146		90		127		258		242	
Attended by M.D.	143		37		121		172		223	
Attended by D.O.	3		53		3		86		19	
Attended by midwives	-		-		-		-		-	
Others or unspecified	-		-		3		-		-	
TOTAL FETAL DEATHS	1		-		2		2		6	
Attended by M.D.	-		-		2		2		5	
Attended by D.O.	1		-		-		-		1	
Attended by midwives	-		-		-		-		-	
Others or unspecified	-		-		-		-		-	
TOTAL DEATHS	107		158		146		207		292	
Under one year of age	5		5				6		4	
Neonatal deaths	4		4				6		4	
Maternal deaths	1						1		1	
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1		1						1	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)							1			
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)							1			
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	1				2				1	
Malignant neoplasms (140-205)	11		30		27		24		37	
Benign and unspecified neoplasms (210-239)					1				2	
Diabetes mellitus (260)	2		8		3		4		3	
Anemias (290-293)					3				1	
Vascular lesions affecting central nervous system (330-334)	19		25		13		33		43	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	2				2		1		3	
Arteriosclerotic and degenerative heart disease (420-422)	35		45		55		72		106	
Other diseases of heart (430-434)	1		2		6		3		13	
Hypertension with heart disease (440-443)	3		6		1		9		12	
Hypertension w/o mention of heart (444-447)					4		1		4	
Other diseases of circulatory system (450-468)	2		5		6		5		9	
Influenza (480-483)			2				1			
Lobar pneumonia 4 weeks (490)	1		3						3	
Bronchopneumonia 4 weeks (491)	2		2				8		6	
Pneumonia, other forms 4 weeks (492-493)	2		1		2		4		2	
Bronchitis (500-502)							1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1									
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)					3		1			
Other diseases of digestive system (530-587 excl. above)	3		4		1				6	
Nephritis and nephrosis (590-594)	2		2		2		3		4	
Complications of pregnancy and puerperium (640-652; 660-689)	1						1		1	
Congenital malformations (750-759)	1		1		1		1		3	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		2				1			
Pneumonia of newborn (under 4 weeks) (763)										
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	1		1				3			
Senility, ill defined and unknown causes (780-795)	1		2		1		1		6	
All other diseases (residual)	1		8		3		6		9	
Motor vehicle accidents (810-835)	8		3		4		11		5	
All other accidents (800-802; 840-962)	3		3		5		6		10	
Suicide and self-inflicted injury (970-979)			1		1		1		2	
Homicide (980-985)	1		1				1			

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

	Warren		Washington		Wayne		Webster		Worth	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 65	9,089		13,400		7,474		12,596		3,284	
TOTAL LIVE BIRTHS	146	6	291	1	128		253		39	
Attended by M.D.	106	1	235	-	109		164		28	
Attended by D.O.	39	5	41	-	17		89		11	
Attended by midwives	+	-	13	1	-		-		-	
Others or unspecified	1	-	2	-	2		-		-	
TOTAL FETAL DEATHS	2	2	7	1	1		3		-	
Attended by M.D.	1	-	7	-	-		2		-	
Attended by D.O.	1	2	-	1	1		1		-	
Attended by midwives	-	-	-	-	-		-		-	
Others or unspecified	-	-	-	-	-		-		-	
TOTAL DEATHS	117	2	161	3	127		178		62	
Under one year of age	5		4		6		3		1	
Neonatal deaths	4		4		4		1		1	
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			1				1		1	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)	1									
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)					2					
Malignant neoplasms (140-205)	22		21		21		29		9	
Benign and unspecified neoplasms (210-239)										
Diabetes mellitus (260)	1		4		3		3		1	
Anemias (290-293)			1		1		2		1	
Vascular lesions affecting central nervous system (330-334)	9		18	2	17		28		8	
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)					3		2			
Arteriosclerotic and degenerative heart disease (420-422)	47		48	1	35		52		21	
Other diseases of heart (430-434)	1		8		1				3	
Hypertension with heart disease (440-443)	1		5		1		3		1	
Hypertension w/o mention of heart (444-447)			2				1			
Other diseases of circulatory system (450-468)	12		4		5		11		3	
Influenza (480-483)		1	4		1		3		1	
Lobar pneumonia 4 weeks (490)	1		1				3			
Bronchopneumonia 4 weeks (491)			3		1		3			
Pneumonia, other forms 4 weeks (492-493)	2		4		3		3			
Bronchitis (500-502)									1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)			1							
Cirrhosis of liver (581)		1			2		2			
Other diseases of digestive system (530-587 excl. above)	3		3		7		8		3	
Nephritis and nephrosis (590-594)							2			
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	2		2		1					
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1						1			
Pneumonia of newborn (under 4 weeks) (763)					2					
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)			2		1				1	
Senility, ill defined and unknown causes (780-795)	1		5		6		1			
All other diseases (residual)	6		5		4		10		7	
Motor vehicle accidents (810-835)	3		7		8		6			
All other accidents (800-802; 840-962)	2		7		3		2		1	
Suicide and self-inflicted injury (970-979)	2		3				2			
Homicide (980-985)			2							

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

COUNTIES, INCLUDING CITIES

CITIES OF 10,000 POPULATION AND OVER

	Wright		Unknown Residence		St. Louis City			Bellevuefontaine Neighbors	
	White	Nonwhite	White	Nonwhite	TOTAL	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965	12,637				666,336				
TOTAL LIVE BIRTHS	172	2			15,103	8,049	7,054	103	
Attended by M.D.	118	2			14,894	7,848	7,046	100	
Attended by D.O.	51	-			187	184	3	3	
Attended by midwives	1	-			16	14	2	-	
Others or unspecified	2	-			6	3	3	-	
TOTAL FETAL DEATHS	4	-			281	121	160	1	
Attended by M.D.	1	-			266	113	153	1	
Attended by D.O.	3	-			7	7	-	-	
Attended by midwives	-	-			-	-	-	-	
Others or unspecified	-	-			8	1	7	-	
TOTAL DEATHS	183	3	1		9,249	7,167	2,782	106	
Under one year of age	1				502	203	299		
Neonatal deaths					372	151	221		
Maternal deaths					8	3	5		
CAUSES OF DEATH									
Tuberculosis of respiratory system (001-008)	2				56	37	19		
Tuberculosis, other forms (010-019)					3	1	2		
Syphilis, under 1 year (020-029)									
Syphilis, age 1 year and over (020-029)					19	13	6	2	
Typhoid fever (040)									
Paratyphoid fever (041)									
Undulant fever (044)									
Bacillary dysentery (045)									
Amebic dysentery (046)					1		1		
Other and unspecified dysentery (047-048)									
Scarlet fever and streptococcal sore throat (050-051)									
Diphtheria (055)									
Whooping cough (056)									
Meningococcal infections (057)					1	1			
Tularemia (059)									
Tetanus (061)									
Acute poliomyelitis (080)					1	1			
Acute infectious encephalitis (082)					1	1			
Measles (085)									
Infectious Hepatitis (092)					1		1		
Rabies (094)									
Rocky mountain spotted fever (104)									
Typhus and other rickettsial diseases (100-103; 105-108)									
Malaria (110-117)									
Other infectious and parasitic diseases (030-138, exc. above)					16	8	8		
Malignant neoplasms (140-205)	30	1			1,582	1,175	407	21	
Benign and unspecified neoplasms (210-239)					21	17	4		
Diabetes mellitus (260)	3				201	147	54		
Anemias (290-293)					16	11	5		
Vascular lesions affecting central nervous system (330-334)	23				1,025	693	332	11	
Nonmeningococcal meningitis (340)					10	3	7		
Rheumatic fever (400-402)					3	1	2		
Chronic rheumatic heart disease (410-416)	3				90	72	18	1	
Arteriosclerotic and degenerative heart disease (420-422)	58	1	1		3,421	2,776	645	45	
Other diseases of heart (430-434)	3				133	85	48	2	
Hypertension with heart disease (440-443)	5				278	157	121	2	
Hypertension w/o mention of heart (444-447)	3				79	39	40		
Other diseases of circulatory system (450-468)	12				384	291	93	3	
Influenza (480-483)	3				4	2	2		
Lobar pneumonia 4 weeks (490)	1				86	46	40		
Bronchopneumonia 4 weeks (491)	6				174	123	51	2	
Pneumonia, other forms 4 weeks (492-493)	4				148	97	51		
Bronchitis (500-502)					30	20	10		
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					10	2	8		
Gastro Enteritis and colitis, 2 years (571.1)					7	6	1		
Cirrhosis of liver (581)					170	125	45	2	
Other diseases of digestive system (530-587 excl. above)					252	193	59	2	
Nephritis and nephrosis (590-594)	2				72	38	34		
Complications of pregnancy and puerperium (640-652; 660-689)					8	3	5		
Congenital malformations (750-759)	2				80	50	30	1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1				107	57	50		
Pneumonia of newborn (under 4 weeks) (763)					15	5	10		
Diarrhea of newborn (under 4 weeks) (764)									
Other infections of newborn (under 4 weeks) (765-768)					2		2		
Other diseases of early infancy (under 4 weeks) (769-776)					213	66	147		
Senility, ill defined and unknown causes (780-795)	4				54	42	12	1	
All other diseases (residual)	4				472	332	140	4	
Motor vehicle accidents (810-835)	6	1			157	109	48	5	
All other accidents (800-802; 840-962)	5				332	222	110	1	
Suicide and self-inflicted injury (970-979)	3				78	67	11	1	
Homicide (980-985)					136	33	103		

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

CITIES OF 10,000 POPULATION AND OVER

	Berkeley		Brentwood		Cape Girardeau		Carthage		Clayton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965										
TOTAL LIVE BIRTHS	361	9	281	14	438	35	187	3	179	4
Attended by M.D.	319	9	279	14	418	32	184	3	178	4
Attended by D.O.	42	-	2	-	20	3	3	-	1	-
Attended by midwives	-	-	-	-	-	-	-	-	-	-
Others or unspecified	-	-	-	-	-	-	-	-	-	-
TOTAL FETAL DEATHS	7	-	1	-	6	3	2	-	1	-
Attended by M.D.	6	-	1	-	6	2	2	-	1	-
Attended by D.O.	1	-	-	-	-	1	-	-	-	-
Attended by midwives	-	-	-	-	-	-	-	-	-	-
Others or unspecified	-	-	-	-	-	-	-	-	-	-
TOTAL DEATHS	73	2	66	5	210	11	169	3	171	-
Under one year of age	4	-	7	1	7	1	7	3	10	-
Neonatal deaths										
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)					1					
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)							1			
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	1						2		2	
Malignant neoplasms (140-205)	14		14		37	2	22		36	
Benign and unspecified neoplasms (210-239)					1					
Diabetes mellitus (260)	1				4		2			
Anemias (290-293)					1			1		
Vascular lesions affecting central nervous system (330-334)	8		6		25	3	17		19	
Nonmeningococcal meningitis (340)					1		1			
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	3				2		2		3	
Arteriosclerotic and degenerative heart disease (420-422)	22		20	3	81	1	60		68	
Other diseases of heart (430-434)	1		1		1	2	3		4	
Hypertension with heart disease (440-443)		1	2		2		5			
Hypertension w/o mention of heart (444-447)					2					
Other diseases of circulatory system (450-468)	1		3	1	7		9	1	10	
Influenza (480-483)										
Lobar pneumonia 4 weeks (490)	1				2		2		1	
Bronchopneumonia 4 weeks (491)			1		3		1		1	
Pneumonia, other forms 4 weeks (492-493)	1		3		4	1	1		1	
Bronchitis (500-502)					2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)			1				1	1	1	
Cirrhosis of liver (581)	2		1		1				1	
Other diseases of digestive system (530-587 excl. above)	1		1		5		7		4	
Nephritis and nephrosis (590-594)										
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			2				3		5	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		4		1	1	1		1	
Pneumonia of newborn (under 4 weeks) (763)							1			
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	1		1	1	2		2		1	
Senility, ill defined and unknown causes (780-795)	5	1	2		2		3		5	
All other diseases (residual)	2		2		10		8		1	
Motor vehicle accidents (810-835)	5		1		5		6		2	
All other accidents (800-802; 840-962)	1		1		6		5			
Suicide and self-inflicted injury (970-979)	2				2		4			
Homicide (980-985)						1				

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

CITIES OF 10,000 POPULATION AND OVER

	Columbia		Crestwood		Ferguson		Florissant		Fulton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965										
TOTAL LIVE BIRTHS	787	92	207	2	467	4	1,669		131	27
Attended by M.D.	784	91	207	2	438	3	1,600		126	25
Attended by D.O.	3	-	-	-	29	1	68		5	2
Attended by midwives	-	-	-	-	-	-	-		-	-
Others or unspecified	-	1	-	-	-	-	1		-	-
TOTAL FETAL DEATHS	6	1	-	-	6	-	10		-	-
Attended by M.D.	6	1	-	-	6	-	9		-	-
Attended by D.O.	-	-	-	-	-	-	1		-	-
Attended by midwives	-	-	-	-	-	-	-		-	-
Others or unspecified	-	-	-	-	-	-	-		-	-
TOTAL DEATHS	254	34	53		171		257		112	22
Under one year of age	17	2	4		12		27		5	2
Neonatal deaths										
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)	1									
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)		2							2	
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)			1		1					
Measles (085)										
Infectious Hepatitis (092)										1
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)									1	1
Malignant neoplasms (140-205)	41	4	15		31		41		16	2
Benign and unspecified neoplasms (210-239)	1		1				3		1	
Diabetes mellitus (260)	4	1			1		4		1	
Anemias (290-293)									1	1
Vascular lesions affecting central nervous system (330-334)	33	1	2		19		27		11	4
Nonmeningococcal meningitis (340)		1					2			
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	5	1			1		2		1	
Arteriosclerotic and degenerative heart disease (420-422)	84	10	17		50		76		33	6
Other diseases of heart (430-434)	1	2			3		1		2	
Hypertension with heart disease (440-443)	6	2	1		4		3		2	2
Hypertension w/o mention of heart (444-447)	2				2				1	
Other diseases of circulatory system (450-468)	8		1		10		8		5	1
Influenza (480-483)	1									
Lobar pneumonia 4 weeks (490)	1				1		2			
Bronchopneumonia 4 weeks (491)	4		1		1		1		6	
Pneumonia, other forms 4 weeks (492-493)	3	3	1		4		1		2	
Bronchitis (500-502)	2									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	3				1		4			
Other diseases of digestive system (530-587 excl. above)	4		1		1		8		3	
Nephritis and nephrosis (590-594)	1		1		2					
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	7		2		1		9		1	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)	4		1		3		9		3	
Pneumonia of newborn (under 4 weeks) (763)	2									
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)	1									
Other diseases of early infancy (under 4 weeks) (769-776)	3	1	1		3		5		1	1
Senility, ill defined and unknown causes (780-795)	1		3		5		8		3	
All other diseases (residual)	9	1	1		10		15		9	1
Motor vehicle accidents (810-835)	9	4	1		3		10		3	
All other accidents (800-802; 840-962)	6	1	1		11		15		3	1
Suicide and self-inflicted injury (970-979)	6		1		2		3		1	
Homicide (980-985)	1				1					

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

CITIES OF 10,000 POPULATION AND OVER

	Gladstone		Hannibal		Independence		Jefferson City		Jennings	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965										
TOTAL LIVE BIRTHS	261		324	25	2,035	3	446	27	305	
Attended by M.D.	237		323	25	1,729	3	392	18	286	
Attended by D.O.	24		1		306		54	9	19	
Attended by midwives	-		-		-		-		-	
Others or unspecified	-		-		-		-		-	
TOTAL FETAL DEATHS	2		2		21		5		5	
Attended by M.D.	1		2		17		4		5	
Attended by D.O.	1		-		4		1		-	
Attended by midwives	-		-		-		-		-	
Others or unspecified	-		-		-		-		-	
TOTAL DEATHS	41		297	25	708	23	263	16	196	
Under one year of age	5		9	1	40	1	13		7	
Neonatal deaths										
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)					1		1			
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)					3					
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)					1					
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	1		1		4		1		1	
Malignant neoplasms (140-205)	5		40	5	125	2	44	5	40	
Benign and unspecified neoplasms (210-239)					1		1			
Diabetes mellitus (260)	1		6		11	3	2	2	2	
Anemias (290-293)					2		1		1	
Vascular lesions affecting central nervous system (330-334)	2		32	2	72		29	1	20	
Nonmeningococcal meningitis (340)					3					
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)			1		5	2	1		4	
Arteriosclerotic and degenerative heart disease (420-422)	13		129	12	245	6	99	2	59	
Other diseases of heart (430-434)			5	2	13		9	1	3	
Hypertension with heart disease (440-443)	2		6		18	1	11		11	
Hypertension w/o mention of heart (444-447)			2			1	2			
Other diseases of circulatory system (450-468)	1		10	1	20	1	6	1	3	
Influenza (480-483)							1			
Lobar pneumonia 4 weeks (490)			2		2	1			2	
Bronchopneumonia 4 weeks (491)	1		3	1	7		3		3	
Pneumonia, other forms 4 weeks (492-493)	1		5		9		1		1	
Bronchitis (500-502)					4		1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1					
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)			2		4	1	3	2	4	
Other diseases of digestive system (530-587 excl. above)	1		6		17		3	1	4	
Nephritis and nephrosis (590-594)	1				3	2	2		1	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)			2		7		3			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		4		7		6		3	
Pneumonia of newborn (under 4 weeks) (763)					5		1			
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)							1			
Other diseases of early infancy (under 4 weeks) (769-776)			2		15		2		2	
Senility, ill defined and unknown causes (780-795)			4		4		6		8	
All other diseases (residual)	5		13		34	2	12		10	
Motor vehicle accidents (810-835)	2		3		23		7		2	
All other accidents (800-802; 840-962)	2		16	1	22	1	2		4	
Suicide and self-inflicted injury (970-979)			3		15		2		6	
Homicide (980-985)				1	5			1	1	

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

CITIES OF 10,000 POPULATION AND OVER

	Joplin		Kansas City			Kansas City Jackson County		Kansas City Clay County	
	White	Nonwhite	TOTAL	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965									
TOTAL LIVE BIRTHS	640	18	10,645	7,676	2,969	6,445	2,969	1,049	-
Attended by M.D.	529	14	9,528	6,642	2,886	5,557	2,886	927	-
Attended by D.O.	111	4	1,112	1,030	82	886	82	120	-
Attended by midwives	-	-	1	-	1	-	1	-	-
Others or unspecified	-	-	4	4	-	2	-	2	-
TOTAL FETAL DEATHS	17	-	88	88	-	85	64	10	-
Attended by M.D.	16	-	76	76	-	65	63	8	-
Attended by D.O.	1	-	12	12	-	10	1	2	-
Attended by midwives	-	-	-	-	-	-	-	-	-
Others or unspecified	-	-	-	-	-	-	-	-	-
TOTAL DEATHS	562	12	5,862	4,722	1,140	4,470	1,140	216	-
Under one year of age	18	-	288	178	110	176	110	2	-
Neonatal deaths									
Maternal deaths			1	1				1	
CAUSES OF DEATH									
Tuberculosis of respiratory system (001-008)	3		22	18	4	18	4		
Tuberculosis, other forms (010-019)			2	1	1	1	1		
Syphilis, under 1 year (020-029)									
Syphilis, age 1 year and over (020-029)	1		9	8	1	8	1		
Typhoid fever (040)									
Paratyphoid fever (041)									
Undulant fever (044)									
Bacillary dysentery (045)									
Amebic dysentery (046)									
Other and unspecified dysentery (047-048)									
Scarlet fever and streptococcal sore throat (050-051)									
Diphtheria (055)									
Whooping cough (056)									
Meningococcal infections (057)			1	1		1			
Tularemia (059)									
Tetanus (061)									
Acute poliomyelitis (080)									
Acute infectious encephalitis (082)			1		1		1		
Measles (085)									
Infectious Hepatitis (092)			1	1		1			
Rabies (094)									
Rocky mountain spotted fever (104)									
Typhus and other rickettsial diseases (100-103; 105-108)									
Malaria (110-117)									
Other infectious and parasitic diseases (030-138, exc. above)	1		33	20	13	19	13	1	
Malignant neoplasms (140-205)	85	2	916	765	151	724	151	34	
Benign and unspecified neoplasms (210-239)	2		19	13	6	12	6		
Diabetes mellitus (260)	6	1	77	59	18	57	18	2	
Anemias (290-293)			17	12	5	12	5		
Vascular lesions affecting central nervous system (330-334)	56	3	664	510	154	481	154	27	
Nonmeningococcal meningitis (340)			11	5	6	5	6		
Rheumatic fever (400-402)			2		2		2		
Chronic rheumatic heart disease (410-416)	5		47	41	6	37	6	3	
Arteriosclerotic and degenerative heart disease (420-422)	158	3	1,875	1,619	256	1,542	256	67	
Other diseases of heart (430-434)	8		131	115	16	110	16	4	
Hypertension with heart disease (440-443)	16	1	188	125	63	122	63	1	
Hypertension w/o mention of heart (444-447)	5		31	22	9	21	9		
Other diseases of circulatory system (450-468)	34		193	171	22	166	22	4	
Influenza (480-483)	2		7	4	3	4	3		
Lobar pneumonia 4 weeks (490)	3	1	30	22	8	19	8	2	
Bronchopneumonia 4 weeks (491)	11		115	90	25	87	25	2	
Pneumonia, other forms 4 weeks (492-493)	9		85	61	24	58	24	3	
Bronchitis (500-502)			16	14	2	14	2		
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			9	5	4	5	4		
Gastro Enteritis and colitis, 2 years (571.1)			8	6	2	6	2		
Cirrhosis of liver (581)	3		117	86	31	83	31	3	
Other diseases of digestive system (530-587 excl. above)	19		157	120	37	113	37	7	
Nephritis and nephrosis (590-594)	11		45	35	10	35	10		
Complications of pregnancy and puerperium (640-652; 660-689)			1	1				1	
Congenital malformations (750-759)	3		69	53	16	47	16	5	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		60	48	14	40	14	6	
Pneumonia of newborn (under 4 weeks) (763)	1		11	4	7	4	7		
Diarrhea of newborn (under 4 weeks) (764)			1		1		1		
Other infections of newborn (under 4 weeks) (765-768)	2		2	2		2			
Other diseases of early infancy (under 4 weeks) (769-776)	1		115	66	49	60	49	6	
Senility, ill defined and unknown causes (780-795)	34		47	37	10	35	10	2	
All other diseases (residual)	37		271	211	60	197	60	13	
Motor vehicle accidents (810-835)	9	1	116	100	16	89	16	9	
All other accidents (800-802; 840-962)	23		182	150	32	141	32	7	
Suicide and self-inflicted injury (970-979)	9		80	76	4	70	4	4	
Homicide (980-985)	2		78	27	51	24	51	3	

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

CITIES OF 10,000 POPULATION AND OVER

	Kansas City Platte County		Kirkville		Kirkwood		Maplewood		Mexico	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1965										
TOTAL LIVE BIRTHS	182		265	1	409	67	248	3	216	36
Attended by M.D.	158		69	1	403	67	246	3	170	33
Attended by D.O.	24		196	-	6	-	2	-	46	3
Attended by midwives	-		-	-	-	-	-	-	-	-
Others or unspecified	-		-	-	-	-	-	-	-	-
TOTAL FETAL DEATHS	3		1	-	7	1	2	-	2	2
Attended by M.D.	3		-	-	7	1	2	-	2	1
Attended by D.O.	-		1	-	-	-	-	-	-	1
Attended by midwives	-		-	-	-	-	-	-	-	-
Others or unspecified	-		-	-	-	-	-	-	-	-
TOTAL DEATHS	36		156	1	252	26	168	1	142	25
Under one year of age			4		7	2	6		7	2
Neonatal deaths										
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)									2	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)			1		1					
Malignant neoplasms (140-205)	7		16		51	3	35	1	22	2
Benign and unspecified neoplasms (210-239)	1				1		1		1	1
Diabetes mellitus (260)			2		3		2			1
Anemias (290-293)										
Vascular lesions affecting central nervous system (330-334)	2		24		36	4	16		17	2
Nonmeningococcal meningitis (340)						1	1			
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1		1		3					
Arteriosclerotic and degenerative heart disease (420-422)	10		57	1	80	6	54		55	8
Other diseases of heart (430-434)	1		3		5		1		4	1
Hypertension with heart disease (440-443)	2		1		7		2		3	3
Hypertension w/o mention of heart (444-447)	1		6				2		1	
Other diseases of circulatory system (450-468)	1		6		14	4	8		3	
Influenza (480-483)			1							
Lobar pneumonia 4 weeks (490)	1		1		3	1				
Bronchopneumonia 4 weeks (491)	1		1		5		1		3	
Pneumonia, other forms 4 weeks (492-493)			2		1	1	1			
Bronchitis (500-502)					2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)			3		2					
Other diseases of digestive system (530-587 excl. above)			6		3	1	1		6	1
Nephritis and nephrosis (590-594)			4						1	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	1				3		2		4	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)			2		2		2			1
Pneumonia of newborn (under 4 weeks) (763)						1			1	
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)			1		3	1	1		2	
Senility, ill defined and unknown causes (780-795)					8	2	10		2	
All other diseases (residual)	1		8		7		16		6	1
Motor vehicle accidents (810-835)	2		5		5		8		4	1
All other accidents (800-802; 840-962)	2		5		4	1	3		3	1
Suicide and self-inflicted injury (970-979)	2				3		1		2	
Homicide (980-985)										1

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

CITIES OF 10,000 POPULATION AND OVER

	Moberly		Overland		Poplar Bluff		Raytown		Richmond Heights	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 65										
TOTAL LIVE BIRTHS	173	12	604	6	245	16	436		232	38
Attended by M.D.	127	10	542	6	214	8	400		230	38
Attended by D.O.	46	2	61	-	27	5	36		2	-
Attended by midwives	-	-	-	-	2	3	-		-	-
Others or unspecified	-	-	1	-	2	-	-		-	-
TOTAL FETAL DEATHS	3	-	10	-	3	2	7		2	-
Attended by M.D.	3	-	10	-	3	1	6		2	-
Attended by D.O.	-	-	-	-	-	-	1		-	-
Attended by midwives	-	-	-	-	-	1	-		-	-
Others or unspecified	-	-	-	-	-	-	-		-	-
TOTAL DEATHS	211	12	256	2	242	19	137		152	16
Under one year of age	2	1	13		6	1	3		3	2
Neonatal deaths										
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)		1					2		2	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)			1							
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)			1		1					
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)					1					
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)										
Malignant neoplasms (140-205)	38	1	52		31	1	22		38	2
Benign and unspecified neoplasms (210-239)										
Diabetes mellitus (260)	2		6		4	1	3		3	
Anemias (290-293)	1		1		1					
Vascular lesions affecting central nervous system (330-334)	26	2	28	1	31	3	21		21	1
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)			1							
Chronic rheumatic heart disease (410-416)			3		2		6		1	1
Arteriosclerotic and degenerative heart disease (420-422)	79	4	68	1	92	5	52		50	3
Other diseases of heart (430-434)	1		7		6		2			1
Hypertension with heart disease (440-443)	8	1	4		2				1	
Hypertension w/o mention of heart (444-447)	1		1		3				2	1
Other diseases of circulatory system (450-468)	6		17		3		3		8	1
Influenza (480-483)	1									
Lobar pneumonia 4 weeks (490)	2		2		1					
Bronchopneumonia 4 weeks (491)	1		9		2					
Pneumonia, other forms 4 weeks (492-493)	4		2		4					1
Bronchitis (500-502)			1		1		1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)	2		2		1		2		1	
Other diseases of digestive system (530-587 excl. above)	8		5		8		2		6	1
Nephritis and nephrosis (590-594)	1		2		2		2		1	
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	1	1	2		2				1	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)			5		1		2			1
Pneumonia of newborn (under 4 weeks) (763)			1							
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)										
Other diseases of early infancy (under 4 weeks) (769-776)	1		4		4	1	1		1	
Senility, ill defined and unknown causes (780-795)	5		9		7	4			5	
All other diseases (residual)	5	1	7		13	3	3		4	
Motor vehicle accidents (810-835)	4		6		6		6		2	
All other accidents (800-802; 840-962)	10		7		12		3		2	2
Suicide and self-inflicted injury (970-979)	4		2		1		4		1	
Homicide (980-985)		1				1			1	

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

CITIES OF 10,000 POPULATION AND OVER

	Rolla		St. Ann		St. Charles		St. Joseph		Sedalia	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 65										
TOTAL LIVE BIRTHS	176	2	412	2	797	10	1,451	63	301	37
Attended by M.D.	161	2	382	2	767	10	1,405	63	237	37
Attended by D.O.	15	-	30	-	29	-	46	-	64	-
Attended by midwives	-	-	-	-	-	-	-	-	-	-
Others or unspecified	-	-	-	-	1	-	-	-	-	-
TOTAL FETAL DEATHS	2	-	4	-	15	-	20	1	4	-
Attended by M.D.	2	-	4	-	15	-	19	1	4	-
Attended by D.O.	-	-	-	-	-	-	-	-	-	-
Attended by midwives	-	-	-	-	-	-	-	-	-	-
Others or unspecified	-	-	-	-	-	-	1	-	-	-
TOTAL DEATHS	74	1	71	-	220	4	1,113	34	296	34
Under one year of age	3	-	4	-	19	1	28	2	8	2
Neonatal deaths										
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)					1		2		1	
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)							4			
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)										
Meningococcal infections (057)										
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)							1			
Measles (085)										
Infectious Hepatitis (092)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)	1						3		1	1
Malignant neoplasms (140-205)	5		18		51		172	6	48	8
Benign and unspecified neoplasms (210-239)							4			1
Diabetes mellitus (260)					1		19		7	1
Anemias (290-293)							3			
Vascular lesions affecting central nervous system (330-334)	9		11		27	1	140	1	41	3
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)					1		7		2	
Arteriosclerotic and degenerative heart disease (420-422)	26		11		76		417	13	103	7
Other diseases of heart (430-434)	2				1		12	1	11	3
Hypertension with heart disease (440-443)	1		3		4	1	44	1	5	3
Hypertension w/o mention of heart (444-447)	1		1		3		12		3	
Other diseases of circulatory system (450-468)	4		2		4	1	32	2	14	
Influenza (480-483)							2			
Lobar pneumonia 4 weeks (490)							8			
Bronchopneumonia 4 weeks (491)	1		1		3		18		3	
Pneumonia, other forms 4 weeks (492-493)	9	1	2		5		8	1	2	
Bronchitis (500-502)							7			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1	
Gastro Enteritis and colitis, 2 years (571.1)							1			
Cirrhosis of liver (581)	1						8		1	
Other diseases of digestive system (530-587 excl. above)	1		5		2		21		7	1
Nephritis and nephrosis (590-594)	1		1		1		6		5	1
Complications of pregnancy and puerperium (640-652; 660-689)										
Congenital malformations (750-759)	1		1		2		4		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)			1		7		8	1	2	1
Pneumonia of newborn (under 4 weeks) (763)					1		1		1	
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)							1		2	
Other diseases of early infancy (under 4 weeks) (769-776)	1		2		8		9	1		
Senility, ill defined and unknown causes (780-795)	4		2		8		44		3	
All other diseases (residual)	2		4		5		39	1	10	2
Motor vehicle accidents (810-835)			3		4		15	4	9	
All other accidents (800-802; 840-962)	2		3		3	1	24	1	6	2
Suicide and self-inflicted injury (970-979)	1				1		15	1	5	
Homicide (980-985)	1				1		2		1	

TABLE 13 (Continued)

ESTIMATED POPULATION, RESIDENT LIVE BIRTHS, FETAL DEATHS, AND
SELECTED CAUSES OF DEATH BY COLOR AND ATTENDANT AT BIRTH,
MISSOURI: 1965

CITIES OF 10,000 POPULATION AND OVER

	Sikeston		Springfield		University City		Webster Groves			
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 65										
TOTAL LIVE BIRTHS	208	58	1,713	67	580	11	360	42		
Attended by M.D.	175	20	1,686	67	570	11	358	42		
Attended by D.O.	31	1	27	-	10	-	1	-		
Attended by midwives	2	37	-	-	-	-	1	-		
Others or unspecified	-	-	-	-	-	-	-	-		
TOTAL FETAL DEATHS	4	-	17	2	5	-	5	-		
Attended by M.D.	3	-	16	2	5	-	5	-		
Attended by D.O.	1	-	1	-	-	-	-	-		
Attended by midwives	-	-	-	-	-	-	-	-		
Others or unspecified	-	-	-	-	-	-	-	-		
TOTAL DEATHS	123	30	1,082	45	529	1	242	26		
Under one year of age	3	5	30	1	9		4			
Neonatal deaths										
Maternal deaths			1							
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)			9							
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)										
Syphilis, age 1 year and over (020-029)			3		2		2			
Typhoid fever (040)										
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)										
Whooping cough (056)		1								
Meningococcal infections (057)			1							
Tularemia (059)										
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Infectious Hepatitis (092)			1							
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)			2	1	1					
Malignant neoplasms (140-205)	16	3	149	8	84		59	5		
Benign and unspecified neoplasms (210-239)	1		2				2			
Diabetes mellitus (260)	1		11	2	18		3			
Anemias (290-293)			3							
Vascular lesions affecting central nervous system (330-334)	15	3	156	10	72	1	28	3		
Nonmeningococcal meningitis (340)			1		1					
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)	1		6		1		2			
Arteriosclerotic and degenerative heart disease (420-422)	53	10	364	8	196		90	5		
Other diseases of heart (430-434)		1	20	2	5		2	1		
Hypertension with heart disease (440-443)	6	3	28	1	9		2			
Hypertension w/o mention of heart (444-447)			7		7					
Other diseases of circulatory system (450-468)	3	1	72	3	26		12	2		
Influenza (480-483)		1								
Lobar pneumonia 4 weeks (490)			4		2			1		
Bronchopneumonia 4 weeks (491)	1		24	1	6					
Pneumonia, other forms 4 weeks (492-493)			5		7					
Bronchitis (500-502)	1		4							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)	1				1					
Cirrhosis of liver (581)			7		5		1			
Other diseases of digestive system (530-587 excl. above)	3		25	1	14		2	1		
Nephritis and nephrosis (590-594)	1		6	1			1			
Complications of pregnancy and puerperium (640-652; 660-689)			1							
Congenital malformations (750-759)	1		12		2					
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		7		3		2			
Pneumonia of newborn (under 4 weeks) (763)		1	2							
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-768)					1					
Other diseases of early infancy (under 4 weeks) (769-776)		2	6				2			
Senility, ill defined and unknown causes (780-795)		1	43	4	11		9	3		
All other diseases (residual)	9	1	33	1	23		16	1		
Motor vehicle accidents (810-835)	3		23	2	11		1			
All other accidents (800-802; 840-962)	4	2	32		10		2	4		
Suicide and self-inflicted injury (970-979)			13		7		4			
Homicide (980-985)	1				4					

ACCIDENTS


TABLE 14
RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI: 1965

Type of Accident	All Ages		0-4		5-14		15-24		25-44		45-64		65-74		75 & Over		Unk. Age	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1. GRAND TOTAL	2,040	1,030	110	76	135	63	386	101	426	107	501	182	201	121	280	377	1	3
2. WORK TOTAL	206	12	5	1	15	2	27	1	51	4	79	2	22	-	7	2	-	-
3. Agriculture	126	11	5	1	15	2	19	-	16	4	45	2	19	-	7	2	-	-
4. Mining, Quarrying, Oil and Gas Wells	4	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-
5. Manufacturing	11	-	-	-	-	-	1	-	4	-	6	-	-	-	-	-	-	-
6. Construction	40	-	-	-	-	-	4	-	19	-	16	-	1	-	-	-	-	-
7. Transportation	5	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-
8. Public Utilities	7	-	-	-	-	-	1	-	3	-	3	-	-	-	-	-	-	-
9. Trade	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
10. Service	5	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-
11. Other Specified Industry	5	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
12. Unspecified Industry	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
13. HOME TOTAL	371	368	51	40	30	16	21	12	37	13	81	48	46	40	105	198	-	1
14. Poisonings (gas excepted)	7	9	1	3	-	-	-	2	5	1	1	2	-	1	-	-	-	-
15. Poisonings by Gases and Vapors	14	6	1	-	1	-	2	2	2	1	4	2	4	-	-	1	-	-
16. Fire, Explosion of Combustible Material	115	82	22	12	12	8	3	2	13	5	39	22	10	9	16	23	-	1
17. Hot Substance, Corrosive Liquid, Steam	3	5	3	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-
18. Mechanical Suffocation	10	15	8	14	-	-	-	-	-	-	-	-	-	2	1	-	-	-
19. Firearms	28	7	-	-	8	2	6	2	7	3	6	-	-	-	1	-	-	-
20. Falls on Same Level	25	41	-	-	-	1	-	-	-	4	3	3	5	18	32	-	-	-
21. Falls to Different Level or Unspecified	131	189	8	5	2	1	1	2	6	3	23	17	25	23	66	138	-	-
22. Other Specified Home Accidents	35	13	7	4	7	3	9	2	4	-	3	2	4	-	1	2	-	-
23. Unspecified Home Accidents	3	1	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
24. MOTOR-VEHICLE TOTAL	995	402	21	17	53	32	279	74	254	74	237	106	78	56	72	41	1	2
25. Injury to Pedestrian	122	64	6	7	20	10	14	4	18	2	30	16	14	13	20	12	-	-
26. Collision with Other Motor Vehicle	435	234	10	8	15	14	107	41	101	49	118	71	48	32	36	19	-	-
27. Collision with Railroad Train	30	10	1	-	1	2	5	1	7	2	12	2	3	2	-	-	1	1
28. Collision with Street Car	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29. Injury to Pedal Cyclist	7	1	-	-	6	-	-	-	-	-	-	-	-	-	-	1	-	-
30. Collision with Animal-drawn Vehicle or Animal	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
31. Collision with Fixed Object	44	11	1	-	-	-	19	4	9	3	10	1	1	2	4	-	-	1
32. Noncollision	334	76	-	2	10	6	128	24	113	18	64	13	11	6	8	7	-	-
33. Other and Unspecified Accident	22	6	3	-	1	-	5	-	5	-	3	3	1	1	4	2	-	-
34. PUBLIC NON-MOTOR-VEHICLE TOTAL (Priority given to Items 35 to 39)	456	246	29	18	37	13	56	14	81	15	102	25	55	25	96	136	-	-
35. Railroad - Not with Motor Vehicle	19	2	-	-	-	-	1	1	5	-	8	1	-	-	5	-	-	-
36. Street Car - Not with Motor Vehicle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37. Other Vehicle - Not with Motor Vehicle	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
38. Water Transportation	4	5	-	-	-	-	1	2	2	1	1	1	-	-	-	1	-	-
39. Air Transportation	19	3	-	-	-	-	5	-	10	3	4	-	-	-	-	-	-	-
40. Fire, Explosion of Combustible Material	22	8	2	-	-	2	1	1	2	1	12	2	1	-	4	2	-	-
41. Hot Substance, Corrosive Liquid, Steam	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
42. Drowning	91	18	6	3	20	8	22	1	19	2	16	2	5	1	3	1	-	-
43. Firearms	24	1	-	-	1	-	8	1	10	-	1	-	2	-	-	-	-	-
44. Falls on Same Level	29	21	-	-	-	-	-	-	2	1	5	2	3	4	18	14	-	-
45. Falls to Different Level or Unspecified	91	116	2	1	3	1	4	1	3	-	15	5	15	11	49	97	-	-
46. Other Specified Public Accidents	138	61	17	14	9	2	14	6	23	4	32	11	27	8	16	16	-	-
47. Unspecified Public Accidents	15	9	1	-	-	-	-	1	4	2	7	1	2	1	1	4	-	-
48. Type of Accident Unknown	12	2	4	-	-	-	3	-	3	1	2	1	-	-	-	-	-	-



Graph E.

MARRIAGE RATES 1949-1965
(per 1,000 population)



MARRIAGES

Year	Number	Rate
1949	34,689	8.8
1950	34,300	8.7
1951	30,880	7.7
1952	28,373	7.0
1953	33,012	8.1
1954	33,520	8.2
1955	34,162	8.3
1956	34,382	8.3
1957	31,395	7.5
1958	31,965	7.5
1959	34,352	8.1
1960	35,368	8.2
1961	34,640	7.9
1962	35,192	8.0
1963	37,667	8.5
1964	38,802	8.7
1965	39,882	8.9

Source: Number of marriages recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949 to date. Population estimates used for computing rates were: 1950 and 1960 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to date as computed by the Division of Health of Missouri.

TABLE 15. REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI: 1965

Age of Groom	Age of Bride																																		Not Stat-ed
	Total	15 & Und.	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75+					
Total	39,882	449	1,356	2,377	5,261	5,259	3,841	3,317	2,958	2,093	1,342	937	781	618	527	450	400	384	316	343	309	1,404	1,201	994	710	560	416	266	139	82	792				
15 & Under	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
16 Years	96	24	29	21	13	5	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
17 Years	575	41	148	168	139	44	16	11	3	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2				
18 Years	1,748	91	275	397	608	247	65	31	14	3	6	-	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4				
19 Years	3,027	85	288	531	957	788	227	81	32	12	6	7	2	1	1	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-	4				
20 Years	3,481	66	205	396	952	917	588	204	61	32	22	7	7	3	2	1	2	1	-	2	-	-	-	-	-	-	-	-	-	1	11				
21 Years	4,196	57	146	332	936	973	738	557	255	102	33	21	15	6	5	3	3	1	2	1	1	1	1	-	1	-	-	-	-	-	7				
22 Years	4,221	39	104	197	619	837	694	669	597	220	79	51	33	21	15	7	9	6	3	2	3	9	-	2	-	-	-	-	-	-	5				
23 Years	3,322	12	58	111	377	513	529	537	545	328	144	46	41	28	15	10	9	5	6	2	2	3	-	-	-	-	-	-	-	-	1				
24 Years	2,348	14	30	64	206	307	303	346	357	306	195	81	38	27	13	8	15	10	5	4	4	8	1	1	-	-	-	-	-	-	5				
25 Years	1,864	6	24	54	139	182	193	251	283	229	188	110	64	35	26	20	14	5	9	6	6	14	1	3	-	-	-	-	-	-	2				
26 Years	1,450	7	11	27	93	143	139	172	209	193	131	98	79	42	34	20	10	13	4	2	4	13	2	3	1	-	-	-	-	-	-				
27 Years	1,176	1	7	23	63	85	81	110	153	154	122	99	82	59	41	26	12	10	10	11	6	16	4	1	-	-	-	-	-	-	-				
28 Years	903	-	9	11	43	61	71	85	105	114	72	67	42	58	38	28	22	17	11	14	6	18	8	2	-	-	-	-	-	-	1				
29 Years	753	1	4	12	31	40	42	65	74	86	65	64	54	50	34	36	15	22	12	13	8	16	7	1	1	-	-	-	-	-	-				
30 Years	651	-	2	6	14	27	42	54	62	57	50	50	42	42	39	31	18	22	12	19	11	37	12	1	1	-	-	-	-	-	-				
31 Years	566	-	2	5	12	23	23	33	34	51	39	39	48	30	32	30	28	30	19	18	10	39	14	5	2	-	-	-	-	-	-				
32 Years	454	1	2	3	12	12	13	20	38	31	30	27	40	22	29	21	33	21	22	12	12	32	17	2	2	-	-	-	-	-	-				
33 Years	478	1	3	3	6	10	12	19	27	31	25	28	31	25	28	30	27	33	19	24	15	55	20	5	-	1	-	-	-	-	-				
34 Years	378	-	-	3	4	5	9	11	20	20	17	20	17	21	29	20	21	18	20	24	19	54	18	7	1	-	-	-	-	-	-				
35-39 Years	1,772	1	1	5	15	21	37	38	59	75	71	68	78	83	77	86	85	82	84	93	85	360	169	67	17	7	2	2	-	-	4				
40-44 Years	1,517	-	6	2	6	8	7	12	20	36	24	32	41	38	46	44	45	61	45	54	65	342	332	168	54	15	5	1	1	-	7				
45-49 Years	1,068	-	-	1	2	6	2	4	5	7	13	13	16	14	10	18	18	21	19	24	23	201	265	231	101	38	9	3	1	-	3				
50-54 Years	867	-	-	-	2	-	2	4	1	3	5	3	5	4	7	8	7	4	8	12	15	114	168	215	182	71	19	5	2	-	1				
55-59 Years	684	-	-	-	2	1	1	-	1	-	1	1	2	4	2	1	1	1	4	5	5	29	97	146	167	147	43	17	3	2	1				
60-64 Years	542	-	-	1	1	-	1	-	1	-	4	1	1	1	1	-	1	-	1	1	5	24	35	77	98	122	119	33	9	5	-				
65-69 Years	416	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	2	12	21	33	49	94	101	75	18	7	-				
70-74 Years	318	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	3	7	15	22	47	74	83	48	15	-				
75 Years & Over	242	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	7	11	18	44	46	57	52	3				
Not Stated	765	2	-	3	8	4	4	2	2	2	-	1	-	-	-	-	2	-	-	-	-	1	1	1	-	-	-	1	-	-	731				

TABLE 16
REPORTED MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS,
GROOMS AND BRIDES, MISSOURI: 1965

Age	Groom						Bride					
	Total	Single	Annulled	Widowed	Divorced	Not Stated	Total	Single	Annulled	Widowed	Divorced	Not Stated
Total	39,882	28,514	15	2,117	8,469	767	39,882	28,693	17	2,391	8,001	780
15 Years & Under	4	4	—	—	—	—	449	449	—	—	—	—
16 Years	96	94	—	—	2	—	1,356	1,345	—	2	8	1
17 Years	575	573	—	—	2	—	2,377	2,337	3	2	30	5
18 Years	1,748	1,731	1	—	14	2	5,261	5,143	3	5	95	15
19 Years	3,027	2,993	1	1	26	6	5,259	5,061	—	14	176	8
20 Years	3,481	3,410	—	3	58	10	3,841	3,557	1	9	272	2
21 Years	4,196	4,048	—	8	131	9	3,317	2,935	2	20	349	11
22 Years	4,221	3,935	—	5	276	5	2,958	2,546	1	15	392	4
23 Years	3,322	3,032	2	8	276	4	2,093	1,615	—	11	463	4
24 Years	2,348	2,017	2	4	323	2	1,342	932	1	17	391	1
25 Years	1,864	1,516	1	10	336	1	937	579	1	17	339	1
26 Years	1,450	1,097	—	17	333	3	781	429	—	20	328	4
27 Years	1,176	832	1	11	328	4	618	292	—	20	305	1
28 Years	903	545	2	14	341	1	527	228	—	11	287	1
29 Years	753	424	—	8	321	—	450	176	—	17	256	1
30 Years	651	359	—	9	283	—	400	128	1	30	240	1
31 Years	566	237	—	13	316	—	384	91	1	21	269	2
32 Years	454	205	—	13	236	—	316	75	—	30	211	—
33 Years	478	187	1	15	275	—	343	74	1	21	247	—
34 Years	378	143	—	10	225	—	309	65	—	38	205	1
35 Years	415	117	—	17	279	2	304	68	—	32	204	—
36 Years	350	114	—	11	225	—	288	54	—	27	207	—
37 Years	369	104	—	14	251	—	271	38	—	28	205	—
38 Years	339	80	—	18	241	—	295	55	—	42	198	—
39 Years	299	64	—	22	213	—	246	33	—	34	179	—
40 Years	305	67	—	21	216	1	232	35	—	35	162	—
41 Years	330	59	—	37	234	—	259	21	1	48	188	1
42 Years	292	56	—	30	205	1	247	23	—	45	179	—
43 Years	302	49	—	30	221	2	240	24	—	51	164	1
44 Years	288	43	1	29	213	2	223	26	—	61	136	—
45-49 Years	1,069	130	—	155	781	3	994	98	—	311	581	4
50-54 Years	867	90	—	239	537	1	710	43	—	326	341	—
55-59 Years	684	52	—	291	340	1	560	25	1	336	197	1
60-64 Years	543	40	2	298	202	1	416	32	—	279	102	3
65-69 Years	414	24	1	285	103	1	266	14	—	203	48	1
70-74 Years	318	11	—	245	61	1	139	4	—	119	16	—
75 Years & Over	242	2	—	209	29	2	82	—	—	73	8	1
Not Stated	765	30	—	17	16	702	792	43	—	21	23	705

TABLE 17
REPORTED MARRIAGES BY MARITAL STATUS, MISSOURI: 1965


		Bride					
		Total	Single	Widowed	Divorced	Annulled	Not Stated
Groom	Single	28,514	25,744	341	2,402	9	18
	Widowed	2,117	298	1,136	680	1	2
	Divorced	8,469	2,636	912	4,913	5	3
	Annulled	15	9	1	4	1	—
	Not Stated	767	6	1	2	1	757
	Total	39,882	28,693	2,391	8,001	17	780

TABLE 18
REPORTED MARRIAGES BY COLOR
OF GROOM, MISSOURI: 1965

Color	Number
White	35,078
Nonwhite	4,104
Other**	—
Not Stated	700
Total	39,882

**Includes Indians, Mexicans, Japanese, and Chinese.

GRAPH F
DIVORCE RATES 1945-1967
(per 1,000 population)



DIVORCES


Year	Number	Rate
1945	12,012	1.5
1946	12,177	1.8
1947	12,131	2.0
1948	12,045	2.2
1949	12,342	2.1
1950	11,505	2.0
1951	11,321	2.1
1952	10,933	2.2
1953	10,862	2.3
1954	10,747	2.4
1955	11,008	2.5
1956	11,330	2.6
1957	11,574	2.7
1958	11,883	2.8
1959	12,032	2.9
1960	12,188	3.0
1961	12,351	3.0

Year	Total	Under 1 Year	1 Year	2 Years	3 Years	4 Years	5 Years	6 Years	7 Years	8 Years	9 Years	10 Years	11 Years	12 Years	13 Years	14 Years	15 Years	16 Years	17 Years	18 Years	19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40 Years & Over	Not stated
1945	12,012	481	1,408	1,412	1,173	688	831	711	593	513	473	448	440	410	376	308	241	242	243	258	280	184	477	103	93	93	30

Year	Number	Rate
1945	12,012	1.5
1946	12,177	1.8
1947	12,131	2.0
1948	12,045	2.2
1949	12,342	2.1
1950	11,505	2.0
1951	11,321	2.1
1952	10,933	2.2
1953	10,862	2.3
1954	10,747	2.4
1955	11,008	2.5
1956	11,330	2.6
1957	11,574	2.7
1958	11,883	2.8
1959	12,032	2.9
1960	12,188	3.0
1961	12,351	3.0

GRAPH F.

DIVORCE RATES 1949-1965
(per 1,000 population)



DIVORCES

Year	Number	Rate
1949	12,912	3.3
1950	12,177	3.1
1951	12,131	3.0
1952	12,943	3.2
1953	12,342	3.0
1954	11,705	2.9
1955	11,351	2.8
1956	10,993	2.6
1957	10,861	2.6
1958	10,747	2.5
1959	11,695	2.8
1960	11,320	2.6
1961	11,574	2.7
1962	11,882	2.7
1963	12,652	2.9
1964	12,785	2.9
1965	13,261	3.0

Source: Number of Divorces recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates used for computing rates were: 1950 and 1960 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to date as computed by the Division of Health of Missouri.

TABLE 20

REPORTED DIVORCES AND ANNULMENTS
BY DURATION OF MARRIAGE,
MISSOURI: 1965

Duration of Marriage (In Years)	Total	Number Divorces	Annulments
Total	13,261	13,157	104
Under 1 Year	451	420	31
1 Year	1,408	1,356	52
2 Years	1,413	1,400	13
3 Years	1,172	1,168	4
4 Years	988	988	-
5 Years	858	856	2
6 Years	711	710	1
7 Years	595	595	-
8 Years	513	513	-
9 Years	473	473	-
10 Years	448	448	-
11 Years	343	343	-
12 Years	319	319	-
13 Years	336	336	-
14 Years	308	308	-
15 Years	327	327	-
16 Years	246	245	1
17 Years	243	243	-
18 Years	258	258	-
19 Years	280	280	-
20-24 Years	744	744	-
25-29 Years	417	417	-
30-34 Years	195	195	-
35-39 Years	92	92	-
40 Years & Over	93	93	-
Not Stated	30	30	-

TABLE 19

REPORTED DIVORCES AND ANNULMENTS
BY NUMBER OF PREVIOUS MARRIAGES,
HUSBAND vs WIFE, MISSOURI: 1965

		WIFE							
Husband	Total	None	One	Two	Three	Four	Five or More	Not Stated	
DIVORCES									
Total	13,157	2,412	7,193	2,355	741	170	62	224	
None	2,466	2,025	348	61	16	5	2	9	
One	7,108	306	5,771	796	160	25	9	41	
Two	2,325	45	805	1,089	295	60	19	12	
Three	705	16	166	267	184	46	18	8	
Four	187	6	39	75	42	16	6	3	
Five or More	113	4	20	36	30	15	8	-	
Not Stated	253	10	44	31	14	3	-	151	
ANNULMENTS									
Total	104	11	52	20	12	4	1	4	
None	12	8	2	-	1	-	-	1	
One	51	3	38	3	3	2	-	2	
Two	29	-	9	14	3	2	1	-	
Three	6	-	-	3	3	-	-	-	
Four	-	-	-	-	-	-	-	-	
Five or More	2	-	1	-	1	-	-	-	
Not Stated	4	-	2	-	1	-	-	1	

TABLE 21
REPORTED DIVORCES AND ANNULMENTS
BY NUMBER OF CHILDREN AFFECTED,
MISSOURI: 1965

Children Reported	Total	Number	
		Divorces	Annulments
Total	13,261	13,157	104
No Children	5,760	5,661	99
One Child	3,030	3,029	1
Two Children	2,158	2,157	1
Three Children	1,173	1,173	-
Four Children	549	549	-
Five Children	249	249	-
Six Children	115	115	-
Seven Children	49	49	-
Eight Children	21	21	-
Nine or More Children	11	11	-
Not Stated	146	143	3

TABLE 22
REPORTED DIVORCES AND ANNULMENTS
BY COMPLAINANT vs TO WHOM DECREE
GRANTED, MISSOURI: 1965

Decree To Whom Granted						
Complainant	Total	Husband	Wife	Separate Maintenance		
				Husband	Wife	Not Stated
DIVORCES						
Total	13,157	2,880	10,143	-	9	125
Husband	3,233	2,782	433	-	-	18
Wife	9,792	71	9,634	-	9	78
Others	-	-	-	-	-	-
Not Stated	132	27	76	-	-	29
ANNULMENTS						
Total	104	25	74	-	-	5
Husband	27	25	1	-	-	1
Wife	75	-	73	-	-	2
Others	-	-	-	-	-	-
Not Stated	2	-	-	-	-	2

TABLE 23
REPORTED DIVORCES AND ANNULMENTS
BY COMPLAINANT vs DISPOSITION OF
CHILDREN, MISSOURI: 1965

Disposition of Children								
Complainant	Total	Husband	Wife	Guardian	Joint	Custody to Others	Not Stated	No Children
DIVORCES								
Total	13,157	499	6,402	-	149	34	277	5,795
Husband	3,233	376	833	-	50	18	125	1,831
Wife	9,792	115	5,528	-	96	16	131	3,906
Others	-	-	-	-	-	-	-	-
Not Stated	132	8	41	-	3	-	22	58
ANNULMENTS								
Total	104	-	1	-	-	-	1	102
Husband	27	-	-	-	-	-	-	27
Wife	75	-	1	-	-	-	1	73
Others	-	-	-	-	-	-	-	-
Not Stated	2	-	-	-	-	-	-	2

TABLE 24
REPORTED DIVORCES AND ANNULMENTS
BY ALIMONY AND SETTLEMENT,
MISSOURI: 1965

Alimony and Settlement	Number		
	Total	Divorces	Annulments
Total	13,261	13,157	104
No Alimony or Support	6,637	6,536	101
Alimony to Wife	700	700	-
Alimony to Husband	2	2	-
Property Settlement	13	13	-
Support to Children	3,035	3,035	-
Alimony and Child Support	2,675	2,675	-
Alimony or Support to Others	1	1	-
Not Stated	198	195	3

TABLE 25
REPORTED DIVORCES AND ANNULMENTS
BY LEGAL GROUNDS FOR
DEGREE, MISSOURI: 1965


Legal Grounds for Decree	Number		
	Total	Divorces	Annulments
Total	13,261	13,157	104
Adultery	103	103	-
Cruelty	266	266	-
Desertion	900	900	-
Drunkenness	93	93	-
Non-Support	120	120	-
Bigamy	7	7	-
Conviction of Crime	68	68	-
Indignities	11,516	11,516	-
Insanity	-	-	-
Annulments	104	-	104
Social Disease	-	-	-
Not Stated	84	84	-

TABLE 26
REPORTED DIVORCES AND ANNULMENTS
BY COLOR, HUSBAND vs WIFE,
MISSOURI: 1965

		Wife			
Husband	Total	White	Non- white	Other	Not Stated
DIVORCES					
Total	13,157	11,468	1,530	-	159
White	11,436	11,365	5	-	66
Nonwhite	1,531	8	1,516	-	7
Other	2	-	1	-	1
Not Stated	188	95	8	-	85
ANNULMENTS					
Total	104	95	8	-	1
White	92	92	-	-	-
Nonwhite	9	1	8	-	-
Other	-	-	-	-	-
Not Stated	3	2	-	-	1

TABLE 27
REPORTED DIVORCES AND ANNULMENTS
BY NUMBER OF CASES CONTESTED,
MISSOURI: 1965

Contestant	Total		
	Divorces	Annulments	
Total	13,261	13,157	104
Husband	743	741	2
Wife	385	385	-
No Contest	11,937	11,838	99
Not Stated	196	193	3



Department of Public Health and Welfare
THE DIVISION OF HEALTH OF MISSOURI
Statistical Services
State Office Building
Jefferson City, Missouri 65101